

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Sample size | 1522 | 202 | 164 | 103 | 105 | 505 | 353 | 102 | 744 | 778 | 441 | 531 | 550 | 190 | 269 | 284 | 250 | 262 | 266 | 640 | 481 | 400 | 538 | 479 | 241 | 264 |

Regional sample sizes are unweighted. All other sample sizes, including totals, are weighted. Blank cells mean zero responses were received. Cells containing "0%" are statistically zero, though at least one response was received. *Indicates a small sample size.

Q1. Based on whatever you've seen, read, or heard about this issue of concussions and sports, how serious a problem do you think this is today?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Very serious, it should receive more attention than it does | 83% | 88% | 75% | 78% | 86% | 82% | 84% | 83% | 83% | 83% | 78% | 82% | 88% | 82% | 81% | 85% | 74% | 84% | 90% | 80% | 84% | 87% | 84% | 85% | 80% | 80% |
| Not serious at all, it's been overblown | 6% | 2% | 11% | 8% | 8% | 7% | 5% | 7% | 7% | 5% | 7% | 7% | 5% | 4% | 10% | 7% | 9% | 5% | 3% | 7% | 7% | 4% | 4% | 6% | 12% | 5% |
| Don't know/Can't say | 11% | 9% | 15% | 14% | 6% | 11% | 11% | 10% | 10% | 12% | 16% | 10% | 7% | 14% | 9% | 8% | 17% | 12% | 7% | 13% | 9% | 10% | 12% | 9% | 8% | 15% |

Q2. Did you yourself participate in any kind of organized sports, when you were a minor (under the age of 18)?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|-------------------------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| No, I did not play organized sports | 46% | 45% | 36% | 40% | 49% | 43% | 58% | 41% | 34% | 57% | 42% | 43% | 52% | 35% | 31% | 37% | 48% | 56% | 68% | 51% | 46% | 38% | 54% | 43% | 36% | 45% |
| Yes, I played organized sports | 54% | 55% | 64% | 60% | 51% | 57% | 42% | 59% | 66% | 43% | 58% | 57% | 48% | 65% | 69% | 63% | 52% | 44% | 32% | 49% | 54% | 62% | 46% | 57% | 64% | 55% |

| | Total who played sports | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--------------------|-------------------------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Sample size | 819 | 114 | 88* | 65* | 54* | 292 | 155 | 58* | 488 | 331 | 254 | 302 | 263 | 124 | 186 | 178 | 130 | 116 | 85* | 311 | 260 | 248 | 245 | 274 | 154 | 145 |

Q3. Did you ever experience a concussion playing sports when you were young (that is, before you turned 18)?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Yes, once | 10% | 8% | 14% | 12% | 16% | 10% | 9% | 10% | 12% | 8% | 9% | 14% | 7% | 12% | 16% | 7% | 7% | 11% | 6% | 11% | 10% | 10% | 11% | 8% | 13% | 11% |
| Yes, more than once | 5% | 5% | 8% | 7% | 16% | 5% | 4% | 2% | 6% | 4% | 8% | 6% | 2% | 9% | 8% | 2% | 7% | 3% | 2% | 6% | 7% | 3% | 6% | 5% | 8% | 4% |
| I think so, but it was never diagnosed | 15% | 14% | 10% | 17% | 11% | 15% | 19% | 21% | 19% | 9% | 10% | 15% | 21% | 12% | 18% | 26% | 8% | 11% | 11% | 15% | 17% | 14% | 15% | 18% | 17% | 9% |
| No, never had a concussion from sports as a kid | 69% | 73% | 68% | 64% | 57% | 70% | 69% | 67% | 63% | 78% | 72% | 65% | 71% | 66% | 58% | 65% | 78% | 75% | 82% | 69% | 66% | 72% | 68% | 69% | 63% | 76% |

| | Total | Region | | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--------------------|-------|--------|-----|-----|-----|-----|-----|-----|------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|-------|--------|------------------|---------|-----------|--|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer | |
| Sample size | 1522 | 202 | 164 | 103 | 105 | 505 | 353 | 102 | 744 | 778 | 441 | 531 | 550 | 190 | 269 | 284 | 250 | 262 | 266 | 640 | 481 | 400 | 538 | 479 | 241 | 264 | |

Q3. Did you ever experience a concussion playing sports when you were young (that is, before you turned 18)?

| | Total | Region | | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--|-------|--------|-----|-----|-----|-----|-----|-----|------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|-------|--------|------------------|---------|-----------|--|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer | |
| Yes, once | 6% | 4% | 9% | 7% | 8% | 6% | 4% | 6% | 8% | 4% | 5% | 8% | 3% | 8% | 11% | 5% | 4% | 5% | 2% | 5% | 5% | 6% | 5% | 5% | 8% | 6% | |
| Yes, more than once | 3% | 3% | 5% | 4% | 8% | 3% | 2% | 1% | 4% | 2% | 5% | 4% | 1% | 6% | 6% | 1% | 4% | 1% | 3% | 4% | 2% | 3% | 3% | 5% | 2% | | |
| I think so, but it was never diagnosed | 8% | 8% | 7% | 10% | 6% | 8% | 8% | 13% | 13% | 4% | 6% | 9% | 10% | 8% | 12% | 16% | 4% | 5% | 3% | 7% | 9% | 9% | 7% | 11% | 11% | 5% | |
| No, never had a concussion from sports as a kid | 37% | 40% | 43% | 38% | 29% | 40% | 29% | 40% | 41% | 33% | 42% | 37% | 34% | 43% | 40% | 41% | 41% | 33% | 26% | 33% | 36% | 45% | 31% | 39% | 40% | 42% | |
| Did not play sports | 46% | 45% | 36% | 40% | 49% | 43% | 58% | 41% | 34% | 57% | 42% | 43% | 52% | 35% | 31% | 37% | 48% | 56% | 68% | 51% | 46% | 38% | 54% | 43% | 36% | 45% | |

| | Total who had a concussion as a child | Region | | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--------------------|---------------------------------------|--------|-----|-----|-----|-----|-----|-----|------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|-------|--------|------------------|---------|-----------|--|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer | |
| Sample size | 254 | 40* | 30* | 23* | 19* | 88* | 51* | 20* | 181 | 73* | 70* | 107 | 77* | 42* | 78* | 62* | 29* | 29* | 16* | 98* | 88* | 69* | 77* | 85* | 58* | 34* | |

Q3b. Please think back to this concussion you experienced before you turned 18. Was a responsible adult aware of your injury?

| | Total | Region | | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|----------------------|-------|--------|-----|-----|-----|-----|-----|-----|------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|-------|--------|------------------|---------|-----------|--|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer | |
| Yes, aware | 58% | 56% | 56% | 53% | 84% | 61% | 55% | 48% | 50% | 78% | 68% | 61% | 45% | 59% | 55% | 38% | 82% | 77% | 73% | 61% | 48% | 67% | 63% | 56% | 52% | 66% | |
| No, not aware | 42% | 44% | 44% | 47% | 16% | 39% | 45% | 52% | 50% | 22% | 32% | 39% | 55% | 41% | 45% | 62% | 18% | 23% | 27% | 39% | 52% | 33% | 37% | 44% | 48% | 34% | |

Q3c. Did you see a doctor for this concussion?

| | Total | Region | | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|------------|-------|--------|-----|-----|-----|-----|-----|-----|------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|-------|--------|------------------|---------|-----------|--|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer | |
| Yes | 32% | 16% | 37% | 27% | 63% | 34% | 29% | 22% | 28% | 41% | 42% | 36% | 16% | 44% | 31% | 13% | 39% | 50% | 27% | 34% | 31% | 29% | 35% | 26% | 31% | 39% | |
| No | 68% | 84% | 63% | 73% | 37% | 66% | 71% | 78% | 72% | 59% | 58% | 64% | 84% | 56% | 69% | 87% | 61% | 50% | 73% | 66% | 69% | 71% | 65% | 74% | 69% | 61% | |

Q3d.How long did symptoms from the concussion last?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|-------------------------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| A short time (hours or a day or so) | 51% | 42% | 52% | 74% | 13% | 52% | 54% | 61% | 54% | 44% | 52% | 51% | 49% | 54% | 55% | 53% | 51% | 43% | 34% | 59% | 45% | 48% | 52% | 51% | 54% | 44% |
| A week or so | 21% | 25% | 12% | 17% | 33% | 24% | 19% | 22% | 20% | 26% | 18% | 21% | 25% | 18% | 18% | 22% | 18% | 28% | 36% | 21% | 21% | 22% | 24% | 20% | 18% | 26% |
| A month or so | 6% | 8% | 12% | 5% | 11% | 3% | 10% | 3% | 5% | 9% | 9% | 6% | 6% | 3% | 6% | 6% | 17% | 3% | 7% | 8% | 6% | 5% | 8% | 6% | 9% | |
| A few months | 6% | 11% | 9% | 2% | 3% | 7% | 4% | 4% | 6% | 7% | 11% | 4% | 5% | 12% | 5% | 4% | 10% | 3% | 9% | 2% | 9% | 9% | 4% | 9% | 4% | 9% |
| Less than a year | 1% | | | | 2% | 2% | | | 0% | 2% | 2% | 1% | | | | | 5% | | 1% | | | | 3% | | | |
| More than a year | 1% | | | | 2% | | 3% | | 0% | 2% | 2% | | | | 0% | | | 5% | | 2% | | | 0% | 2% | | |
| Several years | 0% | | | 2% | | | | | 0% | | | | | 0% | | | | | | | 0% | | | | | 0% |
| I still feel them today | 3% | 2% | | | | 5% | 4% | | 3% | 3% | 4% | 4% | | | | | 7% | | | 3% | 4% | 1% | 5% | 1% | 3% | 2% |
| Really Not Sure/Don't Know | 10% | 13% | 15% | | 39% | 8% | 6% | 10% | 12% | 6% | 4% | 11% | 15% | 6% | 12% | 15% | | 8% | 14% | 6% | 12% | 14% | 4% | 12% | 12% | 19% |

Q3e.What impact, if any, did the injury have on your participation in the sport you were playing when you got the concussion?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| No impact - kept playing | 46% | 42% | 47% | 78% | 27% | 43% | 49% | 55% | 54% | 27% | 38% | 46% | 54% | 49% | 51% | 61% | 22% | 33% | 26% | 43% | 55% | 41% | 43% | 46% | 52% | 44% |
| Sat out a few days | 34% | 42% | 23% | 17% | 18% | 43% | 29% | 32% | 30% | 46% | 34% | 37% | 31% | 22% | 35% | 28% | 50% | 42% | 46% | 40% | 25% | 40% | 38% | 37% | 31% | 25% |
| Sat out a few weeks | 12% | 9% | 21% | 6% | 49% | 9% | 12% | | 10% | 18% | 26% | 5% | 10% | 27% | 4% | 5% | 23% | 8% | 28% | 12% | 9% | 15% | 10% | 12% | 10% | 20% |
| Sat out the season | 1% | | | | 1% | | 8% | | 0% | 3% | 2% | 2% | | | 1% | | 4% | 3% | 1% | | 2% | | 1% | 1% | | 4% |
| Sat out longer | 0% | | | | 1% | | | | 1% | | | 1% | | | 1% | | | | | | 1% | | | | | 2% |
| I never played that sport again | 6% | 6% | 8% | | 6% | 3% | 10% | 5% | 6% | 5% | 1% | 9% | 5% | 2% | 8% | 6% | | 14% | | 4% | 8% | 4% | 8% | 4% | 5% | 7% |

Q3f.Thinking back to the concussion(s) you experienced playing sports when you were young, what were the overall effects, if any, not just on sports, but on your life?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Missed school | 16% | 11% | 11% | 9% | 44% | 18% | 12% | 20% | 13% | 24% | 24% | 15% | 10% | 22% | 12% | 7% | 28% | 23% | 22% | 18% | 14% | 16% | 19% | 7% | 18% | 29% |
| School marks suffered | 7% | 10% | 9% | 7% | | 11% | | 3% | 5% | 12% | 18% | 4% | 2% | 11% | 5% | 2% | 27% | 2% | 5% | 8% | 9% | 4% | 13% | 2% | 7% | 10% |
| Physical effects - dizziness, confusion, nausea, vomiting etc. | 32% | 42% | 24% | 20% | 18% | 34% | 33% | 36% | 29% | 40% | 43% | 31% | 25% | 39% | 27% | 26% | 47% | 43% | 22% | 29% | 37% | 31% | 42% | 29% | 28% | 27% |
| Problems with memory and learning | 12% | 24% | 15% | 16% | 2% | 10% | 9% | 4% | 11% | 12% | 17% | 12% | 7% | 18% | 11% | 7% | 16% | 12% | 5% | 9% | 13% | 14% | 13% | 13% | 11% | 7% |
| Impact on my social life | 6% | 20% | 9% | 8% | 6% | 2% | 5% | | 4% | 10% | 7% | 6% | 5% | 3% | 6% | 2% | 12% | 6% | 14% | 7% | 5% | 5% | 7% | 4% | 7% | 5% |
| Changed my mood | 13% | 25% | 13% | 14% | 2% | 13% | 15% | 6% | 12% | 18% | 16% | 13% | 12% | 10% | 12% | 13% | 24% | 16% | 11% | 15% | 10% | 15% | 20% | 13% | 7% | 12% |
| Made me scared/wary of playing sports | 15% | 20% | 10% | 15% | 6% | 9% | 28% | 18% | 9% | 29% | 17% | 13% | 15% | 5% | 7% | 14% | 34% | 28% | 20% | 12% | 16% | 17% | 22% | 15% | 8% | 10% |
| No important effects | 45% | 41% | 55% | 72% | 36% | 47% | 30% | 46% | 50% | 32% | 31% | 47% | 54% | 37% | 54% | 53% | 22% | 28% | 58% | 52% | 38% | 41% | 32% | 48% | 54% | 47% |

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | Education | | | Household Income | | | | |
|--------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|------------------|--------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Sample size | 1522 | 202 | 164 | 103 | 105 | 505 | 353 | 102 | 744 | 778 | 441 | 531 | 550 | 190 | 269 | 284 | 250 | 262 | 266 | 640 | 481 | 400 | 538 | 479 | 241 | 264 |

Q4a.Now, as an adult, do you or have you participated in any kind of organized sports (e.g in a recreational league, or through university etc.)?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | Education | | | Household Income | | | | |
|--|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|------------------|--------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| No, have not played organized sports as an adult | 60% | 60% | 55% | 55% | 60% | 61% | 63% | 57% | 51% | 69% | 59% | 60% | 61% | 52% | 49% | 51% | 64% | 72% | 71% | 68% | 56% | 51% | 64% | 58% | 45% | 70% |
| Yes, did so - more than 10 years ago | 19% | 19% | 16% | 18% | 18% | 18% | 19% | 26% | 24% | 14% | 8% | 17% | 30% | 8% | 21% | 38% | 8% | 12% | 21% | 19% | 19% | 18% | 18% | 21% | 24% | 13% |
| Yes, did so - within the past 10 years | 12% | 11% | 21% | 11% | 10% | 11% | 11% | 7% | 13% | 11% | 19% | 14% | 5% | 17% | 16% | 7% | 20% | 11% | 3% | 7% | 15% | 16% | 10% | 13% | 19% | 10% |
| Yes, currently play organized sports | 9% | 9% | 8% | 16% | 11% | 10% | 7% | 11% | 12% | 6% | 15% | 10% | 4% | 23% | 14% | 4% | 8% | 6% | 4% | 6% | 9% | 14% | 9% | 9% | 12% | 8% |

| | Total who played sports as an adult | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | Education | | | Household Income | | | | |
|--------------------|-------------------------------------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|------------------|--------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Sample size | 610 | 84* | 59* | 46* | 44* | 193 | 129 | 42* | 368 | 242 | 182 | 211 | 217 | 91* | 137 | 140 | 91* | 74* | 77* | 204 | 210 | 196 | 195 | 201 | 133 | 81* |

Q4b.Did you ever experience a concussion playing sports as an adult, after you turned 18?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | Education | | | Household Income | | | | |
|---|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|------------------|--------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Yes, once | 7% | 7% | 6% | 12% | 2% | 10% | 5% | 3% | 7% | 8% | 6% | 8% | 8% | 7% | 10% | 11% | 9% | 4% | 8% | 8% | 6% | 8% | 6% | 9% | 5% | |
| Yes, more than once | 4% | 13% | 1% | 2% | | 4% | 3% | | 5% | 2% | 7% | 3% | 2% | 12% | 4% | 2% | 3% | 2% | 2% | 5% | 2% | 4% | 7% | 2% | 4% | |
| I think so, but it was never diagnosed | 5% | 6% | 9% | | 10% | 7% | 2% | | 7% | 3% | 6% | 7% | 3% | 5% | 10% | 4% | 7% | 1% | | 6% | 6% | 4% | 5% | 5% | 6% | |
| No, never had a concussion playing sports as an adult | 84% | 74% | 84% | 86% | 88% | 79% | 90% | 97% | 82% | 87% | 81% | 82% | 88% | 83% | 79% | 84% | 79% | 88% | 95% | 80% | 84% | 87% | 80% | 86% | 82% | 89% |

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | Education | | | Household Income | | | | |
|--------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|------------------|--------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Sample size | 1522 | 202 | 164 | 103 | 105 | 505 | 353 | 102 | 744 | 778 | 441 | 531 | 550 | 190 | 269 | 284 | 250 | 262 | 266 | 640 | 481 | 400 | 538 | 479 | 241 | 264 |

Q4b.Did you ever experience a concussion playing sports as an adult, after you turned 18?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | Education | | | Household Income | | | | |
|---|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|------------------|--------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Yes, once | 3% | 3% | 3% | 5% | 1% | 4% | 2% | 1% | 3% | 3% | 2% | 3% | 3% | 4% | 5% | 4% | 3% | 1% | 3% | 3% | 3% | 3% | 3% | 3% | 5% | 2% |
| Yes, more than once | 2% | 5% | 1% | 1% | | 1% | 1% | | 3% | 1% | 3% | 1% | 1% | 6% | 2% | 1% | 1% | 1% | 0% | 2% | 1% | 2% | 3% | 1% | 2% | |
| I think so, but it was never diagnosed | 2% | 2% | 4% | | 4% | 3% | 1% | | 3% | 1% | 3% | 3% | 1% | 3% | 5% | 2% | 3% | 0% | | 2% | 2% | 2% | 2% | 2% | 3% | 2% |
| No, never had a concussion playing sports as an adult | 34% | 30% | 38% | 38% | 36% | 31% | 34% | 42% | 40% | 27% | 33% | 33% | 34% | 39% | 40% | 41% | 29% | 25% | 27% | 25% | 37% | 43% | 29% | 36% | 45% | 27% |
| Do not play sports | 60% | 60% | 55% | 55% | 60% | 61% | 63% | 57% | 51% | 69% | 59% | 60% | 61% | 52% | 49% | 51% | 64% | 72% | 71% | 68% | 56% | 51% | 64% | 58% | 45% | 70% |

| | Total who had a concussion as an adult | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|-------------|--|--------|----|----|----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Sample size | 99* | 19* | 9* | 7* | 5* | 40* | 14* | 2* | 67* | 32* | 35* | 38* | 27* | 16* | 29* | 23* | 19* | 9* | 4* | 41* | 33* | 26* | 39* | 28* | 24* | 9* |

Q4c. Please think about this concussion you experienced playing sports as an adult. Did you see a doctor for this concussion?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|-----|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Yes | 50% | 64% | 46% | 20% | 8% | 54% | 36% | 46% | 41% | 71% | 65% | 40% | 46% | 72% | 27% | 36% | 59% | 84% | 100% | 43% | 55% | 55% | 51% | 42% | 59% | 46% |
| No | 50% | 36% | 54% | 80% | 92% | 46% | 64% | 54% | 59% | 29% | 35% | 60% | 54% | 28% | 73% | 64% | 41% | 16% | 57% | 45% | 45% | 49% | 58% | 41% | 54% | |

Q4d. How long did symptoms from this concussion last?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|-------------------------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| A short time (hours or a day or so) | 27% | 16% | 51% | 52% | 48% | 29% | 9% | | 31% | 18% | 11% | 41% | 28% | | 47% | 33% | 20% | 22% | | 30% | 29% | 20% | 20% | 14% | 45% | 46% |
| A week or so | 29% | 21% | 23% | 42% | 44% | 28% | 40% | 54% | 30% | 26% | 16% | 30% | 44% | 11% | 25% | 50% | 19% | 48% | 10% | 28% | 42% | 13% | 31% | 35% | 19% | 26% |
| A month or so | 7% | 24% | 4% | 6% | | | 13% | | 7% | 8% | 2% | 13% | 6% | | 11% | 7% | 4% | 21% | | 7% | 2% | 15% | | 13% | 11% | 13% |
| A few months | 7% | 5% | | | | | 8% | 20% | | 4% | 13% | 12% | 2% | 8% | 14% | | 4% | 11% | | 5% | 4% | 15% | 6% | 10% | 3% | 14% |
| Less than a year | 11% | 28% | 22% | | | | 3% | 6% | 46% | 14% | 6% | 32% | | | 58% | | | 10% | | 14% | 10% | 8% | 19% | 10% | 5% | |
| More than a year | 6% | | | | 8% | 11% | 6% | | 3% | 13% | 12% | 3% | 3% | 7% | 4% | | | 16% | | 23% | 6% | 3% | 11% | 12% | 7% | |
| Several years | 2% | | | | | | 5% | | 1% | 5% | 4% | 2% | | | 3% | | | 8% | | 2% | 5% | | 2% | | 6% | |
| I still feel them today | 4% | | | | | | 8% | 5% | | 4% | 6% | 2% | 6% | 5% | | 8% | | 4% | | 31% | 2% | | 14% | 2% | 7% | 7% |
| Really Not Sure/Don't Know | 5% | 7% | | | | | 8% | | | 6% | 4% | 9% | 2% | 5% | 10% | 3% | 6% | 7% | | 7% | 4% | 3% | 8% | 5% | 4% | |

Q4e. What impact, if any, did the injury have on your participation in the sport you were playing when you got the concussion?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| No impact - kept playing | 30% | 13% | 51% | 55% | 48% | 31% | 24% | 54% | 36% | 19% | 19% | 37% | 36% | 10% | 44% | 42% | 27% | 11% | | 32% | 31% | 25% | 20% | 30% | 47% | 26% |
| Sat out a few days | 28% | 51% | 26% | 39% | 37% | 19% | 27% | | 32% | 20% | 34% | 34% | 11% | 59% | 34% | 12% | 14% | 37% | 10% | 41% | 19% | 19% | 39% | 18% | 18% | 42% |
| Sat out a few weeks | 23% | 19% | 22% | | 8% | 26% | 32% | | 24% | 22% | 24% | 8% | 44% | 31% | 6% | 41% | 17% | 15% | 58% | 13% | 32% | 27% | 16% | 41% | 18% | 12% |
| Sat out the season | 6% | 11% | | 6% | 8% | 6% | 7% | | 3% | 12% | 6% | 11% | | | 8% | | 11% | 20% | | 9% | 2% | 8% | 9% | 4% | 6% | |
| Sat out longer | 4% | 2% | | | | | 7% | 5% | | | | | | | | | 16% | 14% | | 1% | 6% | 7% | 5% | | 3% | |
| I never played that sport again | 8% | 4% | | | | 12% | 5% | 46% | 5% | 14% | 8% | 7% | 9% | | 8% | 5% | 15% | 3% | 31% | 3% | 10% | 13% | 11% | 7% | 7% | |

Q4f. And, thinking back to the concussion(s) you experienced playing sports as an adult, what were the overall effects, if any, not just on sports, but on your life?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Missed school or work | 26% | 44% | 19% | 8% | 8% | 29% | 9% | | 17% | 46% | 52% | 17% | 5% | 43% | 12% | 5% | 60% | 36% | | 31% | 19% | 28% | 39% | 9% | 28% | 20% |
| School or work performance suffered | 21% | 18% | 19% | | 32% | 22% | 32% | | 17% | 32% | 39% | 17% | 4% | 30% | 18% | 5% | 47% | 12% | | 22% | 16% | 27% | 20% | 20% | 28% | 14% |
| Physical effects - dizziness, confusion, nausea, vomiting etc. | 37% | 37% | 32% | 6% | 44% | 39% | 48% | | 30% | 52% | 36% | 36% | 40% | 18% | 31% | 38% | 52% | 53% | 54% | 25% | 47% | 44% | 32% | 31% | 55% | 34% |
| Problems with memory and learning | 16% | 7% | 9% | | 16% | 23% | 9% | 54% | 10% | 27% | 22% | 16% | 7% | 7% | 18% | 4% | 35% | 11% | 23% | 16% | 8% | 25% | 11% | 17% | 23% | 14% |
| Impact on my social life | 14% | 9% | 33% | | 16% | 11% | 19% | | 12% | 18% | 27% | 6% | 9% | 22% | 7% | 11% | 31% | | | 13% | 18% | 11% | 9% | 22% | 7% | 30% |
| Changed my mood | 15% | 23% | | | 16% | 16% | 13% | 46% | 8% | 29% | 27% | 12% | 4% | 7% | 12% | 5% | 43% | 13% | | 14% | 14% | 18% | 15% | 12% | 11% | 34% |
| Made me scared/wary of doing sports | 13% | 6% | | | 8% | 23% | 3% | | 8% | 23% | 16% | 12% | 9% | | 10% | 10% | 29% | 20% | | 13% | 15% | 9% | 15% | 14% | 2% | 26% |
| No important effects | 29% | 14% | 15% | 86% | 48% | 36% | 24% | | 36% | 14% | 9% | 35% | 47% | 10% | 41% | 47% | 7% | 15% | 46% | 33% | 22% | 30% | 27% | 33% | 24% | 39% |

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|-------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Sample size | 1522 | 202 | 164 | 103 | 105 | 505 | 353 | 102 | 744 | 778 | 441 | 531 | 550 | 190 | 269 | 284 | 250 | 262 | 266 | 640 | 481 | 400 | 538 | 479 | 241 | 264 |

Q5a. Are you or have you been the parent or caregiver of children who participate(d) in organized sports?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Yes, currently have one or more kids playing organized sports | 12% | 11% | 18% | 7% | 7% | 12% | 11% | 10% | 11% | 12% | 11% | 21% | 4% | 7% | 21% | 5% | 13% | 21% | 4% | 10% | 13% | 14% | 7% | 14% | 19% | 11% |
| Yes, did have kids playing, but no longer playing or grown up now | 28% | 36% | 20% | 33% | 26% | 28% | 26% | 34% | 27% | 30% | 4% | 20% | 56% | 5% | 16% | 51% | 4% | 24% | 61% | 34% | 26% | 23% | 26% | 31% | 28% | 28% |
| No, no kids or none playing/played organized sports | 60% | 54% | 62% | 60% | 68% | 59% | 62% | 56% | 62% | 57% | 85% | 59% | 40% | 88% | 63% | 44% | 83% | 55% | 36% | 56% | 62% | 63% | 67% | 55% | 52% | 61% |

| | Total who have children who play(ed) sports | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--------------------|---|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Sample size | 613 | 103 | 65* | 50* | 47* | 223 | 143 | 47* | 282 | 331 | 65* | 218 | 330 | 23* | 101 | 158 | 42* | 117 | 172 | 281 | 183 | 149 | 179 | 218 | 114 | 102 |

Q5b.Did your child(ren) ever experience a concussion playing organized sports?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Yes, once | 10% | 11% | 14% | 1% | 9% | 10% | 11% | 10% | 9% | 12% | 16% | 11% | 9% | 3% | 14% | 6% | 24% | 8% | 11% | 11% | 10% | 9% | 8% | 8% | 13% | 16% |
| Yes, more than once | 5% | 3% | 9% | 7% | 2% | 5% | 1% | 9% | 3% | 6% | 2% | 7% | 3% | | 4% | 4% | 4% | 10% | 3% | 3% | 7% | 5% | 3% | 5% | 8% | 3% |
| I think so, but it was never diagnosed | 7% | 10% | 5% | 3% | 2% | 7% | 3% | 13% | 6% | 7% | 11% | 5% | 7% | 24% | 5% | 5% | 4% | 5% | 9% | 8% | 4% | 7% | 8% | 7% | 2% | 9% |
| No, never had a concussion | 78% | 77% | 72% | 89% | 87% | 78% | 84% | 68% | 82% | 76% | 70% | 77% | 81% | 72% | 78% | 86% | 69% | 77% | 76% | 79% | 78% | 79% | 82% | 79% | 77% | 73% |

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Sample size | 1522 | 202 | 164 | 103 | 105 | 505 | 353 | 102 | 744 | 778 | 441 | 531 | 550 | 190 | 269 | 284 | 250 | 262 | 266 | 640 | 481 | 400 | 538 | 479 | 241 | 264 |

Q5b.Did your child(ren) ever experience a concussion playing organized sports?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Yes, once | 4% | 5% | 5% | 1% | 3% | 4% | 4% | 4% | 3% | 5% | 2% | 4% | 5% | 0% | 5% | 3% | 4% | 4% | 7% | 5% | 4% | 3% | 3% | 4% | 6% | 6% |
| Yes, more than once | 2% | 1% | 4% | 3% | 1% | 2% | 1% | 4% | 1% | 2% | 0% | 3% | 2% | | 1% | 2% | 1% | 5% | 2% | 1% | 3% | 2% | 1% | 2% | 4% | 1% |
| I think so, but it was never diagnosed | 3% | 5% | 2% | 1% | 1% | 3% | 1% | 6% | 2% | 3% | 2% | 4% | 3% | 2% | 3% | 1% | 2% | 6% | 3% | 2% | 3% | 3% | 3% | 3% | 1% | 3% |
| No, never had a concussion | 32% | 36% | 28% | 36% | 28% | 32% | 32% | 30% | 31% | 32% | 10% | 32% | 49% | 9% | 29% | 48% | 12% | 34% | 34% | 30% | 29% | 27% | 36% | 36% | 28% | |
| No kids/no kids playing sports | 60% | 54% | 62% | 60% | 68% | 59% | 62% | 56% | 62% | 57% | 85% | 59% | 40% | 88% | 63% | 44% | 83% | 55% | 36% | 56% | 62% | 63% | 67% | 55% | 52% | 61% |

| | Total whose child(ren) had concussions | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--------------------|--|--------|-----|----|----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Sample size | 132 | 17* | 18* | 6* | 8* | 48* | 21* | 15* | 51* | 81* | 20* | 50* | 63* | 6* | 22* | 22* | 13* | 27* | 40* | 60* | 40* | 32* | 32* | 46* | 27* | 28* |

Q5c.Please think about this concussion your child(ren) experienced while playing sports. Did they see a doctor for this concussion?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|-----|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Yes | 64% | 77% | 57% | 46% | 77% | 54% | 76% | 72% | 61% | 67% | 79% | 76% | 50% | 100% | 70% | 40% | 69% | 81% | 56% | 56% | 76% | 65% | 65% | 58% | 68% | 70% |
| No | 36% | 23% | 43% | 54% | 23% | 46% | 24% | 28% | 39% | 33% | 21% | 24% | 50% | 30% | 60% | 31% | 19% | 44% | 44% | 24% | 35% | 35% | 42% | 32% | 30% | |

Q5d.How long did symptoms from your child's concussion last?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|-------------------------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| A short time (hours or a day or so) | 40% | 18% | 38% | 18% | 36% | 43% | 49% | 50% | 40% | 40% | 18% | 34% | 50% | 12% | 35% | 52% | 21% | 34% | 50% | 46% | 35% | 33% | 42% | 37% | 20% | 60% |
| A week or so | 22% | 10% | 36% | 14% | 20% | 23% | 31% | 10% | 21% | 23% | 12% | 36% | 14% | | 42% | 6% | 18% | 31% | 18% | 15% | 34% | 21% | 17% | 21% | 45% | 8% |
| A month or so | 17% | 37% | 11% | 17% | | 11% | 16% | 21% | 16% | 18% | 25% | 19% | 14% | | 19% | 17% | 37% | 18% | 12% | 19% | 10% | 24% | 9% | 23% | 17% | 18% |
| A few months | 6% | 26% | | | | 4% | | | 11% | 3% | 29% | 1% | 2% | 88% | | | | 2% | 4% | 12% | 2% | | 17% | | 6% | 2% |
| Less than a year | 2% | | | | | 3% | | 8% | 3% | 2% | 9% | | 2% | | | 6% | 13% | | | | | 10% | 5% | 3% | | |
| More than a year | 3% | 4% | 6% | 12% | | 3% | | | 4% | 2% | 8% | 0% | 3% | | 1% | 8% | 12% | | 0% | 6% | 3% | | 2% | 7% | 4% | |
| Several years | 1% | | | | | 3% | | | 1% | | | 2% | | 3% | | | | | | 2% | | | | | | 3% |
| They still feel them today | 4% | | 3% | | 15% | 5% | | 11% | | 6% | | 5% | 4% | | | | | 8% | 7% | 4% | 1% | 7% | 4% | 7% | | 2% |
| Really Not Sure/Don't Know | 6% | 5% | 6% | 39% | 29% | 8% | | | 5% | 7% | | 3% | 10% | | | 11% | | 6% | 10% | 4% | 11% | 2% | 5% | 6% | 7% | 5% |

Q5e.What impact, if any, did the injury have on their participation in the sport they were playing when they got the concussion?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|------------------------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| No impact - kept playing | 30% | 21% | 21% | 54% | 14% | 33% | 49% | 18% | 32% | 29% | 18% | 22% | 41% | 12% | 21% | 48% | 21% | 23% | 37% | 31% | 34% | 25% | 41% | 23% | 20% | 39% |
| Sat out a few days | 35% | 20% | 51% | 18% | 36% | 38% | 17% | 51% | 26% | 40% | 29% | 35% | 36% | | 37% | 23% | 43% | 33% | 44% | 36% | 37% | 29% | 27% | 40% | 46% | 24% |
| Sat out a few weeks | 19% | 34% | 16% | 17% | 36% | 17% | 17% | 12% | 30% | 13% | 29% | 28% | 9% | 88% | 29% | 14% | | 27% | 7% | 19% | 18% | 20% | 31% | 17% | 19% | 8% |
| Sat out the season | 8% | 23% | 6% | | | 2% | 10% | 6% | 3% | 11% | 25% | 5% | 5% | | 4% | 3% | 37% | 5% | 6% | 10% | 4% | 9% | | 6% | 8% | 19% |
| Sat out longer | 1% | 2% | | | | 1% | 3% | | 2% | 1% | | 3% | 1% | | 3% | 2% | | 2% | | | 2% | 3% | | 1% | 3% | 3% |
| They never played that sport again | 7% | | 6% | 12% | 15% | 9% | 4% | 13% | 7% | 7% | | 7% | 8% | | 5% | 11% | | 9% | 7% | 4% | 4% | 14% | 1% | 12% | 5% | 7% |

Q5f.What impact, if any, did the injury have on their participation in the sport they were playing when they got the concussion?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Missed school | 24% | 5% | 11% | 17% | | 29% | 28% | 46% | 16% | 29% | 26% | 26% | 21% | 12% | 22% | 11% | 32% | 30% | 27% | 19% | 30% | 25% | 26% | 29% | 22% | 15% |
| School marks suffered | 14% | 60% | 13% | | | | 7% | 8% | 20% | 10% | 65% | 8% | 2% | 88% | 14% | 6% | 54% | 2% | 21% | 2% | 14% | 19% | 8% | 9% | 20% | |
| Physical effects - dizziness, confusion, nausea, vomiting etc. | 28% | 12% | 25% | 35% | 41% | 26% | 40% | 36% | 20% | 33% | 14% | 41% | 21% | | 26% | 20% | 21% | 53% | 22% | 23% | 28% | 36% | 29% | 31% | 22% | 26% |
| Problems with memory and learning | 13% | 23% | 31% | 17% | 10% | 8% | 3% | 13% | 7% | 17% | 25% | 13% | 10% | | 10% | 6% | 37% | 15% | 12% | 17% | 8% | 13% | 12% | 9% | 8% | 27% |
| Impact on their social life | 7% | 2% | 8% | | | 9% | | 15% | 5% | 8% | 9% | 4% | 8% | | | 11% | 13% | 8% | 7% | 3% | 1% | 21% | 7% | 10% | 3% | 5% |
| Changed their mood | 11% | | 33% | 17% | | 8% | 9% | 15% | 13% | 10% | | 19% | 8% | | 19% | 11% | | 19% | 7% | 9% | 13% | 13% | 11% | 16% | 10% | 4% |
| Made them scared/wary of doing other sports | 7% | | | | | 6% | 19% | 8% | 3% | 9% | 14% | 5% | 6% | | | 6% | 21% | 9% | 6% | 3% | 5% | 15% | 2% | 7% | 4% | 13% |
| No important effects | 43% | 28% | 36% | 65% | 49% | 48% | 57% | 37% | 47% | 41% | | 38% | 61% | | 37% | 71% | | 39% | 55% | 41% | 46% | 43% | 35% | 48% | 47% | 41% |

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Sample size | 1522 | 202 | 164 | 103 | 105 | 505 | 353 | 102 | 744 | 778 | 441 | 531 | 550 | 190 | 269 | 284 | 250 | 262 | 266 | 640 | 481 | 400 | 538 | 479 | 241 | 264 |

Q6.[Summary of Agree]Here are some statements about concussions and young athletes. Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| If my child got a concussion playing sports, the coaches/trainers would handle the situation well | 43% | 40% | 46% | 39% | 35% | 45% | 41% | 43% | 45% | 40% | 40% | 43% | 44% | 41% | 45% | 49% | 40% | 41% | 40% | 48% | 40% | 37% | 41% | 45% | 46% | 40% |
| Schools in my province have a good plan to prevent concussions as much as possible | 33% | 24% | 38% | 39% | 27% | 33% | 33% | 31% | 34% | 31% | 26% | 35% | 35% | 26% | 35% | 38% | 27% | 35% | 32% | 34% | 35% | 28% | 34% | 32% | 38% | 26% |
| Youth leagues in my province have a good plan to prevent concussions as much as possible | 37% | 35% | 33% | 46% | 28% | 39% | 39% | 30% | 41% | 33% | 29% | 40% | 41% | 29% | 42% | 48% | 28% | 38% | 33% | 36% | 41% | 33% | 39% | 38% | 42% | 25% |
| Concussions are happening to students more frequently now than when I was in school | 46% | 40% | 40% | 40% | 45% | 48% | 52% | 41% | 44% | 48% | 34% | 44% | 58% | 30% | 42% | 55% | 37% | 46% | 61% | 50% | 46% | 40% | 48% | 43% | 47% | 47% |
| Too many parents would allow their child to play sports too soon after a concussion | 57% | 50% | 60% | 58% | 61% | 55% | 64% | 55% | 57% | 58% | 59% | 51% | 62% | 54% | 50% | 65% | 63% | 52% | 59% | 61% | 53% | 57% | 58% | 57% | 58% | 56% |
| Too many coaches would allow a young athlete to play sports too soon after a concussion | 58% | 50% | 61% | 50% | 60% | 55% | 64% | 62% | 59% | 57% | 57% | 52% | 64% | 56% | 55% | 64% | 57% | 50% | 64% | 60% | 55% | 58% | 58% | 60% | 60% | 53% |
| Overall, the benefits of kids playing organized sports far outweigh the risks of concussion | 67% | 59% | 68% | 62% | 66% | 69% | 68% | 64% | 67% | 67% | 73% | 67% | 62% | 72% | 68% | 63% | 74% | 67% | 60% | 66% | 67% | 69% | 61% | 71% | 75% | 66% |

Q6.[Summary of Disagree]Here are some statements about concussions and young athletes. Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| If my child got a concussion playing sports, the coaches/trainers would handle the situation well | 19% | 15% | 16% | 19% | 16% | 19% | 27% | 12% | 21% | 18% | 23% | 19% | 18% | 25% | 22% | 18% | 21% | 16% | 17% | 16% | 21% | 24% | 19% | 20% | 23% | 16% |
| Schools in my province have a good plan to prevent concussions as much as possible | 19% | 19% | 14% | 14% | 21% | 16% | 24% | 22% | 20% | 17% | 23% | 16% | 17% | 27% | 19% | 17% | 21% | 14% | 17% | 17% | 18% | 22% | 19% | 19% | 16% | 18% |
| Youth leagues in my province have a good plan to prevent concussions as much as possible | 16% | 10% | 17% | 12% | 24% | 14% | 22% | 21% | 17% | 15% | 22% | 12% | 16% | 24% | 16% | 14% | 20% | 8% | 18% | 16% | 14% | 19% | 16% | 16% | 17% | 18% |
| Concussions are happening to students more frequently now than when I was in school | 24% | 22% | 28% | 20% | 24% | 21% | 26% | 26% | 28% | 19% | 26% | 26% | 19% | 35% | 29% | 24% | 19% | 23% | 15% | 18% | 28% | 28% | 22% | 27% | 29% | 15% |
| Too many parents would allow their child to play sports too soon after a concussion | 19% | 25% | 17% | 23% | 20% | 21% | 13% | 15% | 22% | 16% | 20% | 21% | 16% | 25% | 25% | 17% | 15% | 16% | 15% | 15% | 21% | 21% | 15% | 21% | 20% | 20% |
| Too many coaches would allow a young athlete to play sports too soon after a concussion | 17% | 19% | 18% | 21% | 16% | 19% | 12% | 12% | 19% | 14% | 18% | 18% | 14% | 22% | 22% | 15% | 15% | 15% | 13% | 16% | 17% | 17% | 17% | 17% | 18% | 14% |
| Overall, the benefits of kids playing organized sports far outweigh the risks of concussion | 23% | 31% | 23% | 26% | 24% | 21% | 21% | 23% | 24% | 22% | 16% | 20% | 32% | 16% | 22% | 30% | 16% | 17% | 33% | 23% | 23% | 22% | 28% | 21% | 18% | 20% |

Q6.[If my child got a concussion playing sports, the coaches/trainers would handle the situation well]Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly agree | 10% | 9% | 10% | 3% | 7% | 11% | 11% | 8% | 11% | 9% | 10% | 12% | 9% | 13% | 12% | 8% | 8% | 11% | 9% | 12% | 11% | 7% | 10% | 11% | 12% | 8% |
| Moderately agree | 33% | 32% | 36% | 36% | 28% | 33% | 30% | 35% | 34% | 31% | 30% | 31% | 36% | 28% | 33% | 40% | 32% | 30% | 31% | 37% | 29% | 30% | 31% | 34% | 34% | 32% |
| Moderately disagree | 16% | 14% | 12% | 16% | 12% | 17% | 21% | 9% | 18% | 15% | 18% | 16% | 15% | 20% | 18% | 15% | 17% | 14% | 13% | 17% | 21% | 15% | 17% | 21% | 12% | |
| Strongly disagree | 3% | 1% | 3% | 3% | 4% | 3% | 5% | 3% | 4% | 3% | 5% | 2% | 3% | 5% | 3% | 3% | 4% | 2% | 3% | 3% | 4% | 3% | 4% | 3% | 2% | 4% |
| Not sure | 38% | 44% | 38% | 42% | 48% | 36% | 33% | 46% | 33% | 42% | 37% | 38% | 38% | 34% | 33% | 33% | 40% | 44% | 43% | 36% | 39% | 39% | 40% | 36% | 32% | 44% |
| Top2Box | 43% | 40% | 46% | 39% | 35% | 45% | 41% | 43% | 45% | 40% | 40% | 43% | 44% | 41% | 45% | 49% | 40% | 41% | 40% | 48% | 40% | 37% | 41% | 45% | 46% | 40% |
| Bottom2Box | 19% | 15% | 16% | 19% | 16% | 19% | 27% | 12% | 21% | 18% | 23% | 19% | 18% | 25% | 22% | 18% | 21% | 16% | 17% | 16% | 21% | 24% | 19% | 20% | 23% | 16% |

Q6.[Schools in my province have a good plan to prevent concussions as much as possible]Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly agree | 7% | 4% | 9% | 5% | 8% | 9% | 7% | 4% | 8% | 7% | 7% | 8% | 7% | 8% | 7% | 7% | 6% | 9% | 7% | 9% | 7% | 6% | 7% | 7% | 10% | 7% |
| Moderately agree | 25% | 20% | 29% | 34% | 20% | 24% | 26% | 28% | 26% | 24% | 19% | 27% | 28% | 17% | 28% | 31% | 21% | 26% | 25% | 28% | 22% | 27% | 25% | 28% | 19% | |
| Moderately disagree | 14% | 15% | 10% | 10% | 17% | 12% | 17% | 19% | 15% | 13% | 16% | 12% | 13% | 19% | 14% | 14% | 14% | 11% | 13% | 14% | 12% | 16% | 14% | 14% | 13% | |
| Strongly disagree | 5% | 4% | 4% | 3% | 3% | 5% | 6% | 3% | 5% | 4% | 7% | 4% | 4% | 8% | 5% | 3% | 6% | 3% | 4% | 3% | 6% | 6% | 5% | 5% | 2% | |
| Not sure | 49% | 57% | 48% | 48% | 52% | 50% | 43% | 47% | 46% | 52% | 50% | 49% | 48% | 47% | 46% | 45% | 53% | 51% | 49% | 47% | 50% | 46% | 49% | 46% | 56% | |
| Top2Box | 33% | 24% | 38% | 39% | 27% | 33% | 33% | 31% | 34% | 31% | 26% | 35% | 35% | 26% | 35% | 38% | 27% | 35% | 32% | 34% | 35% | 28% | 34% | 32% | 26% | |
| Bottom2Box | 19% | 19% | 14% | 14% | 21% | 16% | 24% | 22% | 20% | 17% | 23% | 16% | 17% | 27% | 19% | 17% | 21% | 14% | 17% | 18% | 22% | 19% | 19% | 16% | 18% | |

Q6.[Youth leagues in my province have a good plan to prevent concussions as much as possible]Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly agree | 8% | 7% | 8% | 16% | 6% | 8% | 8% | 5% | 8% | 7% | 6% | 8% | 9% | 6% | 10% | 9% | 7% | 7% | 9% | 9% | 8% | 5% | 8% | 7% | 12% | 5% |
| Moderately agree | 29% | 28% | 25% | 30% | 22% | 31% | 31% | 25% | 33% | 26% | 23% | 32% | 31% | 24% | 33% | 39% | 22% | 31% | 24% | 27% | 32% | 28% | 31% | 31% | 20% | |
| Moderately disagree | 13% | 8% | 10% | 9% | 18% | 10% | 18% | 19% | 12% | 13% | 16% | 9% | 13% | 14% | 12% | 11% | 17% | 7% | 16% | 14% | 9% | 15% | 12% | 13% | 14% | |
| Strongly disagree | 4% | 1% | 7% | 3% | 5% | 4% | 3% | 2% | 5% | 2% | 6% | 3% | 2% | 10% | 4% | 2% | 3% | 2% | 2% | 2% | 5% | 4% | 4% | 3% | 4% | |
| Not sure | 47% | 56% | 49% | 42% | 49% | 47% | 40% | 49% | 42% | 52% | 49% | 48% | 44% | 47% | 41% | 38% | 51% | 54% | 50% | 47% | 45% | 48% | 45% | 46% | 41% | |
| Top2Box | 37% | 35% | 33% | 46% | 28% | 39% | 39% | 30% | 41% | 33% | 29% | 40% | 41% | 29% | 42% | 48% | 28% | 38% | 33% | 36% | 41% | 33% | 39% | 38% | 25% | |
| Bottom2Box | 16% | 10% | 17% | 12% | 24% | 14% | 22% | 21% | 17% | 15% | 22% | 12% | 16% | 24% | 16% | 14% | 20% | 8% | 18% | 16% | 14% | 19% | 16% | 17% | 18% | |

Q6.[Concussions are happening to students more frequently now than when I was in school]Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly agree | 20% | 12% | 17% | 16% | 18% | 21% | 26% | 15% | 16% | 24% | 14% | 17% | 28% | 9% | 13% | 24% | 17% | 22% | 32% | 24% | 18% | 16% | 23% | 19% | 15% | |
| Moderately agree | 26% | 28% | 23% | 24% | 27% | 27% | 26% | 26% | 28% | 24% | 20% | 27% | 30% | 20% | 30% | 31% | 20% | 24% | 29% | 26% | 28% | 24% | 25% | 24% | 27% | |
| Moderately disagree | 17% | 16% | 17% | 16% | 17% | 15% | 22% | 19% | 22% | 13% | 18% | 20% | 15% | 25% | 22% | 19% | 12% | 17% | 11% | 12% | 21% | 21% | 16% | 20% | 10% | |
| Strongly disagree | 6% | 6% | 11% | 3% | 7% | 6% | 4% | 6% | 7% | 6% | 8% | 7% | 4% | 9% | 7% | 5% | 7% | 6% | 4% | 5% | 7% | 6% | 6% | 7% | 5% | |
| Not sure | 30% | 37% | 32% | 40% | 31% | 31% | 23% | 33% | 28% | 33% | 40% | 30% | 23% | 36% | 29% | 21% | 44% | 31% | 25% | 32% | 27% | 32% | 30% | 30% | 38% | |
| Top2Box | 46% | 40% | 40% | 40% | 45% | 48% | 52% | 41% | 44% | 48% | 34% | 44% | 58% | 30% | 42% | 55% | 37% | 46% | 61% | 50% | 46% | 40% | 48% | 43% | 47% | |
| Bottom2Box | 24% | 22% | 28% | 20% | 24% | 21% | 26% | 26% | 28% | 19% | 26% | 26% | 19% | 35% | 29% | 24% | 19% | 23% | 15% | 18% | 28% | 28% | 22% | 27% | 15% | |

Q6.[Too many parents would allow their child to play sports too soon after a concussion]Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly agree | 19% | 14% | 18% | 19% | 20% | 20% | 22% | 14% | 18% | 20% | 15% | 17% | 24% | 15% | 16% | 22% | 16% | 18% | 25% | 18% | 20% | 18% | 23% | 18% | 16% | |
| Moderately agree | 39% | 35% | 42% | 39% | 40% | 36% | 42% | 42% | 39% | 38% | 44% | 34% | 39% | 38% | 34% | 43% | 47% | 34% | 34% | 43% | 33% | 38% | 36% | 39% | 40% | |
| Moderately disagree | 15% | 20% | 15% | 19% | 17% | 16% | 11% | 9% | 18% | 12% | 16% | 17% | 12% | 20% | 20% | 14% | 13% | 13% | 10% | 12% | 17% | 17% | 12% | 17% | 12% | |
| Strongly disagree | 4% | 6% | 2% | 5% | 3% | 5% | 1% | 6% | 4% | 4% | 4% | 4% | 6% | 5% | 3% | 2% | 3% | 6% | 3% | 4% | 4% | 3% | 4% | 4% | 8% | |
| Not sure | 24% | 25% | 23% | 18% | 19% | 24% | 23% | 30% | 21% | 26% | 21% | 28% | 22% | 21% | 25% | 18% | 22% | 31% | 26% | 24% | 25% | 26% | 22% | 22% | 25% | |
| Top2Box | 57% | 50% | 60% | 58% | 61% | 55% | 64% | 55% | 57% | 58% | 59% | 51% | 62% | 54% | 50% | 65% | 63% | 52% | 59% | 61% | 53% | 57% | 58% | 57% | 56% | |
| Bottom2Box | 19% | 25% | 17% | 23% | 20% | 21% | 13% | 15% | 22% | 16% | 20% | 21% | 16% | 25% | 25% | 17% | 15% | 16% | 15% | 15% | 21% | 21% | 15% | 21% | 20% | |

Q6.[Too many coaches would allow a young athlete to play sports too soon after a concussion]Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly agree | 21% | 15% | 18% | 16% | 26% | 18% | 29% | 24% | 18% | 24% | 21% | 16% | 26% | 16% | 14% | 22% | 25% | 17% | 30% | 22% | 19% | 22% | 22% | 20% | 17% | 23% |
| Moderately agree | 37% | 35% | 42% | 34% | 34% | 37% | 35% | 38% | 41% | 33% | 36% | 36% | 38% | 40% | 40% | 42% | 32% | 34% | 38% | 37% | 35% | 35% | 40% | 43% | 30% | |
| Moderately disagree | 14% | 16% | 15% | 18% | 13% | 15% | 11% | 10% | 16% | 11% | 15% | 15% | 11% | 18% | 18% | 13% | 13% | 13% | 9% | 14% | 14% | 12% | 14% | 13% | 15% | |
| Strongly disagree | 3% | 3% | 3% | 3% | 4% | 1% | 2% | 3% | 3% | 3% | 3% | 3% | 4% | 4% | 2% | 2% | 2% | 4% | 2% | 3% | 5% | 2% | 4% | 3% | 2% | |
| Not sure | 25% | 31% | 21% | 30% | 23% | 25% | 24% | 26% | 22% | 29% | 26% | 29% | 22% | 22% | 24% | 20% | 28% | 35% | 23% | 24% | 28% | 25% | 26% | 23% | 33% | |
| Top2Box | 58% | 50% | 61% | 50% | 60% | 55% | 64% | 62% | 59% | 57% | 57% | 52% | 64% | 56% | 55% | 64% | 57% | 50% | 64% | 60% | 55% | 58% | 58% | 60% | 53% | |
| Bottom2Box | 17% | 19% | 18% | 21% | 16% | 19% | 12% | 12% | 19% | 14% | 18% | 18% | 14% | 22% | 22% | 15% | 15% | 13% | 16% | 17% | 17% | 17% | 17% | 18% | 14% | |

Q6.[Overall, the benefits of kids playing organized sports far outweigh the risks of concussion]Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly agree | 29% | 24% | 34% | 37% | 36% | 29% | 28% | 28% | 31% | 27% | 35% | 30% | 24% | 33% | 33% | 28% | 36% | 27% | 20% | 28% | 31% | 29% | 24% | 29% | 42% | 28% |
| Moderately agree | 38% | 35% | 34% | 25% | 31% | 41% | 40% | 36% | 36% | 39% | 38% | 38% | 38% | 39% | 35% | 36% | 37% | 40% | 40% | 38% | 36% | 40% | 37% | 42% | 33% | 37% |
| Moderately disagree | 14% | 20% | 12% | 17% | 14% | 12% | 14% | 11% | 13% | 14% | 9% | 14% | 17% | 7% | 15% | 16% | 11% | 13% | 19% | 15% | 14% | 13% | 19% | 12% | 11% | 11% |
| Strongly disagree | 9% | 11% | 11% | 9% | 10% | 9% | 7% | 12% | 10% | 8% | 6% | 6% | 14% | 9% | 7% | 14% | 5% | 4% | 14% | 9% | 10% | 9% | 9% | 9% | 7% | 9% |
| Not sure | 10% | 9% | 9% | 12% | 10% | 10% | 10% | 13% | 9% | 11% | 11% | 13% | 7% | 12% | 9% | 7% | 11% | 16% | 7% | 11% | 10% | 9% | 11% | 8% | 7% | 14% |
| Top2Box | 67% | 59% | 68% | 62% | 66% | 69% | 68% | 64% | 67% | 67% | 73% | 67% | 62% | 72% | 68% | 63% | 74% | 67% | 60% | 66% | 67% | 66% | 61% | 71% | 75% | 66% |
| Bottom2Box | 23% | 31% | 23% | 26% | 24% | 21% | 21% | 23% | 24% | 22% | 16% | 20% | 32% | 16% | 22% | 30% | 16% | 17% | 33% | 23% | 23% | 22% | 28% | 21% | 18% | 20% |

Q6.[Excluding NS-If my child got a concussion playing sports, the coaches/trainers would handle the situation well]Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly agree | 16% | 15% | 16% | 6% | 14% | 18% | 16% | 14% | 16% | 16% | 16% | 19% | 14% | 20% | 18% | 13% | 13% | 20% | 16% | 18% | 18% | 11% | 16% | 17% | 18% | 14% |
| Moderately agree | 52% | 57% | 58% | 62% | 55% | 52% | 44% | 64% | 52% | 53% | 48% | 51% | 57% | 42% | 49% | 60% | 52% | 53% | 54% | 57% | 48% | 49% | 52% | 53% | 49% | 56% |
| Moderately disagree | 26% | 25% | 20% | 27% | 24% | 26% | 32% | 17% | 26% | 26% | 29% | 26% | 24% | 30% | 27% | 23% | 28% | 25% | 24% | 20% | 28% | 34% | 25% | 26% | 30% | 22% |
| Strongly disagree | 5% | 2% | 5% | 5% | 7% | 4% | 8% | 5% | 5% | 5% | 7% | 4% | 5% | 8% | 5% | 4% | 7% | 3% | 6% | 4% | 6% | 6% | 7% | 4% | 3% | 7% |
| Top2Box | 69% | 72% | 75% | 68% | 69% | 70% | 60% | 79% | 68% | 69% | 64% | 70% | 71% | 62% | 68% | 73% | 66% | 72% | 70% | 76% | 66% | 60% | 68% | 69% | 67% | 71% |
| Bottom2Box | 31% | 28% | 25% | 32% | 31% | 30% | 40% | 21% | 32% | 31% | 36% | 30% | 29% | 38% | 32% | 27% | 34% | 28% | 30% | 24% | 34% | 40% | 32% | 31% | 33% | 29% |

Q6.[Excluding NS-Schools in my province have a good plan to prevent concussions as much as possible]Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly agree | 14% | 9% | 17% | 10% | 16% | 18% | 13% | 7% | 14% | 15% | 14% | 16% | 14% | 16% | 13% | 13% | 12% | 18% | 14% | 17% | 13% | 12% | 13% | 14% | 18% | 15% |
| Moderately agree | 49% | 47% | 57% | 64% | 41% | 49% | 46% | 52% | 48% | 50% | 39% | 52% | 54% | 33% | 51% | 56% | 44% | 54% | 52% | 50% | 52% | 44% | 51% | 49% | 51% | 43% |
| Moderately disagree | 27% | 34% | 19% | 19% | 36% | 23% | 30% | 36% | 28% | 26% | 33% | 24% | 26% | 36% | 26% | 25% | 30% | 22% | 27% | 28% | 23% | 32% | 26% | 28% | 26% | 30% |
| Strongly disagree | 9% | 9% | 7% | 6% | 7% | 10% | 11% | 5% | 10% | 9% | 14% | 8% | 7% | 16% | 9% | 6% | 13% | 6% | 8% | 5% | 11% | 12% | 10% | 10% | 4% | 12% |
| Top2Box | 64% | 57% | 73% | 74% | 57% | 67% | 59% | 59% | 62% | 65% | 53% | 68% | 68% | 49% | 65% | 69% | 56% | 72% | 66% | 67% | 66% | 56% | 64% | 62% | 70% | 58% |
| Bottom2Box | 36% | 43% | 27% | 26% | 43% | 33% | 41% | 41% | 38% | 35% | 47% | 32% | 32% | 51% | 35% | 31% | 44% | 28% | 34% | 33% | 34% | 44% | 36% | 38% | 30% | 42% |

Q6.[Excluding NS - Youth leagues in my province have a good plan to prevent concussions as much as possible]Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly agree | 15% | 15% | 17% | 28% | 11% | 16% | 13% | 10% | 15% | 15% | 12% | 16% | 16% | 10% | 17% | 15% | 14% | 14% | 18% | 18% | 15% | 10% | 15% | 13% | 20% | 12% |
| Moderately agree | 54% | 63% | 49% | 51% | 43% | 58% | 51% | 48% | 56% | 53% | 44% | 61% | 56% | 44% | 56% | 63% | 45% | 68% | 52% | 59% | 53% | 56% | 58% | 51% | 47% | |
| Moderately disagree | 24% | 19% | 20% | 15% | 36% | 19% | 30% | 38% | 21% | 27% | 32% | 18% | 24% | 27% | 20% | 18% | 36% | 15% | 31% | 26% | 17% | 30% | 22% | 23% | 24% | 31% |
| Strongly disagree | 7% | 3% | 14% | 5% | 10% | 7% | 6% | 3% | 9% | 4% | 12% | 6% | 4% | 18% | 7% | 4% | 6% | 3% | 4% | 5% | 7% | 7% | 7% | 6% | 5% | 10% |
| Top2Box | 69% | 78% | 66% | 80% | 54% | 74% | 64% | 59% | 70% | 68% | 56% | 77% | 72% | 55% | 72% | 78% | 58% | 82% | 65% | 69% | 74% | 63% | 71% | 71% | 71% | 58% |
| Bottom2Box | 31% | 22% | 34% | 20% | 46% | 26% | 36% | 41% | 30% | 32% | 44% | 23% | 28% | 45% | 28% | 22% | 42% | 18% | 35% | 31% | 26% | 37% | 29% | 29% | 29% | 42% |

Q6.[Excluding NS-Concussions are happening to students more frequently now than when I was in school]Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly agree | 29% | 19% | 25% | 26% | 26% | 30% | 34% | 23% | 22% | 35% | 23% | 25% | 36% | 15% | 18% | 30% | 30% | 32% | 42% | 35% | 24% | 24% | 33% | 27% | 20% | 32% |
| Moderately agree | 37% | 45% | 33% | 41% | 39% | 39% | 33% | 39% | 39% | 36% | 34% | 38% | 39% | 32% | 42% | 40% | 36% | 34% | 38% | 38% | 38% | 35% | 35% | 35% | 41% | 43% |
| Moderately disagree | 25% | 26% | 26% | 27% | 25% | 22% | 28% | 29% | 30% | 20% | 30% | 28% | 19% | 39% | 31% | 24% | 22% | 24% | 14% | 18% | 28% | 31% | 23% | 28% | 30% | 17% |
| Strongly disagree | 9% | 10% | 15% | 6% | 11% | 9% | 5% | 9% | 9% | 9% | 13% | 9% | 6% | 15% | 10% | 6% | 12% | 9% | 5% | 8% | 10% | 10% | 9% | 10% | 9% | 8% |
| Top2Box | 66% | 65% | 59% | 67% | 65% | 69% | 67% | 62% | 61% | 72% | 57% | 63% | 75% | 46% | 59% | 70% | 66% | 66% | 81% | 74% | 62% | 59% | 68% | 62% | 61% | 76% |
| Bottom2Box | 34% | 35% | 41% | 33% | 35% | 31% | 33% | 38% | 39% | 28% | 43% | 37% | 25% | 54% | 41% | 30% | 34% | 34% | 19% | 26% | 38% | 41% | 32% | 38% | 39% | 24% |

Q6.[Excluding NS - Too many parents would allow their child to play sports too soon after a concussion]Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly agree | 25% | 19% | 23% | 23% | 25% | 26% | 29% | 20% | 23% | 27% | 20% | 23% | 30% | 19% | 21% | 27% | 20% | 26% | 34% | 24% | 27% | 24% | 31% | 23% | 20% | 20% |
| Moderately agree | 51% | 47% | 55% | 48% | 50% | 47% | 55% | 60% | 49% | 52% | 55% | 48% | 49% | 49% | 46% | 52% | 60% | 46% | 56% | 45% | 49% | 49% | 50% | 54% | 53% | |
| Moderately disagree | 19% | 26% | 20% | 23% | 21% | 21% | 15% | 13% | 23% | 16% | 20% | 23% | 15% | 25% | 27% | 17% | 16% | 19% | 13% | 15% | 23% | 22% | 17% | 22% | 23% | 16% |
| Strongly disagree | 5% | 7% | 3% | 6% | 4% | 7% | 2% | 8% | 5% | 5% | 5% | 6% | 5% | 7% | 6% | 3% | 3% | 5% | 7% | 5% | 6% | 5% | 4% | 5% | 3% | 10% |
| Top2Box | 75% | 66% | 77% | 71% | 75% | 73% | 83% | 79% | 72% | 79% | 75% | 71% | 79% | 68% | 67% | 79% | 80% | 76% | 79% | 80% | 72% | 72% | 79% | 73% | 74% | 74% |
| Bottom2Box | 25% | 34% | 23% | 29% | 25% | 27% | 17% | 21% | 28% | 21% | 25% | 29% | 21% | 32% | 33% | 21% | 20% | 24% | 21% | 20% | 28% | 28% | 21% | 27% | 26% | 26% |

Q6.[Excluding NS - Too many coaches would allow a young athlete to play sports too soon after a concussion]Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly agree | 28% | 21% | 23% | 22% | 34% | 24% | 38% | 32% | 23% | 34% | 28% | 23% | 33% | 21% | 19% | 28% | 35% | 27% | 39% | 29% | 26% | 30% | 30% | 26% | 22% | 34% |
| Moderately agree | 49% | 51% | 54% | 48% | 44% | 50% | 46% | 51% | 53% | 46% | 48% | 51% | 49% | 51% | 53% | 53% | 45% | 50% | 44% | 50% | 51% | 47% | 47% | 51% | 55% | 45% |
| Moderately disagree | 18% | 23% | 19% | 25% | 17% | 20% | 14% | 14% | 21% | 16% | 20% | 22% | 14% | 23% | 23% | 17% | 18% | 20% | 12% | 19% | 19% | 16% | 19% | 17% | 19% | 18% |
| Strongly disagree | 4% | 5% | 3% | 4% | 4% | 6% | 1% | 3% | 4% | 4% | 4% | 4% | 4% | 5% | 5% | 3% | 3% | 4% | 5% | 2% | 4% | 6% | 3% | 6% | 3% | 3% |
| Top2Box | 78% | 72% | 77% | 71% | 79% | 74% | 84% | 83% | 75% | 80% | 76% | 74% | 82% | 72% | 72% | 81% | 80% | 77% | 83% | 79% | 76% | 77% | 78% | 77% | 77% | 79% |
| Bottom2Box | 22% | 28% | 23% | 29% | 21% | 26% | 16% | 17% | 25% | 20% | 24% | 26% | 18% | 28% | 28% | 19% | 20% | 23% | 17% | 21% | 24% | 23% | 22% | 23% | 23% | 21% |

Q6.[Excluding NS - Overall, the benefits of kids playing organized sports far outweigh the risks of concussion]Please tell us whether you agree or disagree with each of these:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly agree | 32% | 27% | 38% | 42% | 40% | 32% | 32% | 32% | 34% | 31% | 39% | 34% | 26% | 37% | 37% | 30% | 41% | 32% | 21% | 31% | 34% | 31% | 27% | 32% | 45% | 33% |
| Moderately agree | 42% | 39% | 37% | 29% | 34% | 45% | 45% | 41% | 40% | 44% | 43% | 43% | 41% | 45% | 39% | 38% | 42% | 48% | 43% | 42% | 40% | 45% | 42% | 45% | 36% | 44% |
| Moderately disagree | 15% | 23% | 13% | 20% | 16% | 13% | 16% | 13% | 15% | 16% | 10% | 16% | 19% | 8% | 17% | 17% | 12% | 16% | 20% | 17% | 15% | 14% | 21% | 13% | 12% | 13% |
| Strongly disagree | 10% | 12% | 12% | 10% | 11% | 10% | 7% | 14% | 11% | 9% | 7% | 7% | 15% | 10% | 8% | 15% | 5% | 5% | 15% | 10% | 11% | 10% | 11% | 10% | 8% | 10% |
| Top2Box | 75% | 65% | 75% | 71% | 73% | 77% | 77% | 74% | 74% | 75% | 82% | 77% | 66% | 82% | 75% | 68% | 83% | 79% | 64% | 74% | 74% | 76% | 69% | 77% | 80% | 77% |
| Bottom2Box | 25% | 35% | 25% | 29% | 27% | 23% | 23% | 26% | 26% | 25% | 18% | 23% | 34% | 18% | 25% | 32% | 17% | 21% | 36% | 26% | 26% | 24% | 31% | 23% | 20% | 23% |

Q7.Of the following sports, which, if any, would you be concerned about children playing because of the risk of concussions? Pick up to three:

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|------------------------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Soccer | 13% | 13% | 15% | 11% | 14% | 14% | 12% | 15% | 10% | 17% | 10% | 12% | 17% | 9% | 9% | 11% | 12% | 15% | 23% | 13% | 13% | 13% | 13% | 11% | 18% | |
| Hockey | 81% | 76% | 75% | 72% | 79% | 84% | 82% | 85% | 79% | 82% | 74% | 80% | 87% | 72% | 76% | 87% | 76% | 84% | 87% | 81% | 79% | 84% | 80% | 81% | 82% | 81% |
| Basketball | 3% | 7% | 2% | 5% | 0% | 1% | 2% | 3% | 2% | 3% | 4% | 2% | 2% | 5% | 2% | 1% | 4% | 2% | 3% | 2% | 2% | 3% | 3% | 4% | 1% | 1% |
| Baseball/Softball | 4% | 6% | 1% | 6% | 4% | 4% | 3% | 5% | 3% | 4% | 2% | 4% | 5% | 2% | 4% | 4% | 2% | 5% | 6% | 5% | 3% | 3% | 4% | 4% | 3% | 4% |
| Gymnastics | 5% | 3% | 4% | 4% | 4% | 6% | 4% | 6% | 3% | 6% | 4% | 5% | 4% | 2% | 4% | 3% | 6% | 7% | 4% | 5% | 4% | 4% | 5% | 5% | 4% | 5% |
| Figure Skating | 6% | 4% | 3% | 10% | 5% | 6% | 9% | 5% | 4% | 8% | 5% | 8% | 6% | 3% | 4% | 5% | 5% | 12% | 8% | 7% | 4% | 8% | 8% | 5% | 7% | 6% |
| Rugby | 48% | 56% | 47% | 35% | 57% | 56% | 36% | 39% | 50% | 47% | 56% | 45% | 45% | 52% | 47% | 52% | 59% | 43% | 38% | 43% | 51% | 54% | 43% | 48% | 58% | 51% |
| Football | 79% | 78% | 81% | 74% | 86% | 82% | 73% | 76% | 80% | 77% | 76% | 77% | 83% | 76% | 77% | 85% | 76% | 77% | 80% | 75% | 79% | 83% | 74% | 80% | 86% | 78% |
| Tennis | 0% | | | 1% | 0% | 1% | | | 1% | | 1% | 0% | | 2% | 0% | | | | 0% | 0% | 0% | 0% | 0% | | 0% | 1% |
| Martial Arts | 10% | 9% | 15% | 12% | 13% | 7% | 13% | 6% | 12% | 8% | 10% | 10% | 9% | 15% | 11% | 9% | 5% | 9% | 9% | 11% | 9% | 8% | 13% | 8% | 7% | 9% |
| Field Hockey | 5% | 2% | 4% | 8% | 9% | 5% | 5% | 5% | 4% | 5% | 4% | 4% | 5% | 6% | 3% | 4% | 3% | 6% | 7% | 5% | 5% | 4% | 6% | 4% | 3% | 4% |
| Lacrosse | 9% | 12% | 11% | 12% | 5% | 9% | 5% | 10% | 10% | 8% | 7% | 9% | 9% | 5% | 10% | 12% | 8% | 8% | 7% | 8% | 11% | 7% | 8% | 8% | 8% | 10% |
| None of these/Not really concerned | 7% | 6% | 8% | 12% | 4% | 5% | 9% | 9% | 8% | 6% | 8% | 8% | 5% | 8% | 10% | 6% | 7% | 6% | 4% | 8% | 8% | 4% | 8% | 7% | 6% | 6% |

Q8.Thinking about the role of government in youth sports, which statement is closest to your own point of view?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Provincial governments need to step in with laws/regulations to better protect young athletes from concussions | 65% | 69% | 54% | 43% | 69% | 65% | 73% | 59% | 63% | 68% | 63% | 62% | 70% | 65% | 58% | 66% | 61% | 66% | 75% | 64% | 61% | 72% | 68% | 66% | 58% | 64% |
| There's no need for government oversight; coaches and parents are doing well enough protecting young athletes from concussions | 35% | 31% | 46% | 57% | 31% | 35% | 27% | 41% | 37% | 32% | 37% | 38% | 30% | 35% | 42% | 34% | 39% | 34% | 25% | 36% | 39% | 28% | 32% | 34% | 42% | 36% |

Q9.[Summary of Support]Different proposals have been made to address the issue of concussions in organized youth sports. Would you support or oppose each of the following policies?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Requiring a certified trainer or health professional be present for every organized youth game | 72% | 62% | 60% | 63% | 75% | 71% | 87% | 64% | 68% | 76% | 70% | 72% | 73% | 69% | 65% | 71% | 71% | 80% | 76% | 73% | 73% | 69% | 77% | 69% | 67% | 70% |
| Requiring young athletes to follow a "Return to Play" policy - steps they must take before returning to normal activity after a suspected concussion | 92% | 88% | 91% | 92% | 94% | 92% | 94% | 95% | 90% | 95% | 89% | 93% | 94% | 86% | 90% | 93% | 92% | 96% | 95% | 90% | 94% | 94% | 89% | 95% | 94% | 93% |
| Requiring young athletes to obtain a doctor's permission before returning to sports after a suspected concussion | 92% | 91% | 89% | 92% | 94% | 91% | 94% | 93% | 90% | 93% | 88% | 91% | 95% | 88% | 90% | 93% | 89% | 93% | 96% | 91% | 95% | 89% | 91% | 93% | 93% | 90% |
| Requiring coaches to be educated on the risks of concussions as a condition of their eligibility to coach | 95% | 93% | 92% | 95% | 94% | 95% | 96% | 93% | 93% | 96% | 92% | 95% | 96% | 89% | 93% | 95% | 94% | 98% | 97% | 93% | 96% | 95% | 92% | 97% | 97% | 95% |
| Not allowing kids under the age of 14 to play contact sports | 43% | 42% | 32% | 30% | 39% | 40% | 58% | 38% | 42% | 44% | 40% | 44% | 45% | 44% | 40% | 42% | 37% | 48% | 49% | 44% | 42% | 44% | 48% | 42% | 40% | 37% |

Q9.[Summary of Oppose]Different proposals have been made to address the issue of concussions in organized youth sports. Would you support or oppose each of the following policies?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Requiring a certified trainer or health professional be present for every organized youth game | 28% | 38% | 40% | 37% | 25% | 29% | 13% | 36% | 32% | 24% | 30% | 28% | 27% | 31% | 35% | 29% | 29% | 20% | 24% | 27% | 27% | 31% | 23% | 31% | 33% | 30% |
| Requiring young athletes to follow a "Return to Play" policy - steps they must take before returning to normal activity after a suspected concussion | 8% | 12% | 9% | 8% | 6% | 8% | 6% | 5% | 10% | 5% | 11% | 7% | 6% | 14% | 10% | 7% | 8% | 4% | 5% | 10% | 6% | 6% | 11% | 5% | 6% | 7% |
| Requiring young athletes to obtain a doctor's permission before returning to sports after a suspected concussion | 8% | 9% | 11% | 8% | 6% | 9% | 6% | 7% | 10% | 7% | 12% | 9% | 5% | 12% | 10% | 7% | 11% | 7% | 4% | 9% | 5% | 11% | 9% | 7% | 7% | 10% |
| Requiring coaches to be educated on the risks of concussions as a condition of their eligibility to coach | 5% | 7% | 8% | 5% | 6% | 5% | 4% | 7% | 7% | 4% | 8% | 5% | 4% | 11% | 7% | 5% | 6% | 2% | 3% | 7% | 4% | 5% | 8% | 3% | 3% | 5% |
| Not allowing kids under the age of 14 to play contact sports | 57% | 58% | 68% | 70% | 61% | 60% | 42% | 62% | 58% | 56% | 60% | 56% | 55% | 56% | 60% | 58% | 63% | 52% | 51% | 56% | 58% | 56% | 52% | 58% | 60% | 63% |

Q9.[Requiring a certified trainer or health professional be present for every organized youth game]Would you support or oppose each of the following policies?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly support | 31% | 22% | 26% | 21% | 27% | 29% | 43% | 25% | 28% | 33% | 24% | 34% | 32% | 25% | 31% | 27% | 24% | 37% | 38% | 32% | 32% | 26% | 36% | 27% | 26% | 31% |
| Moderately support | 41% | 41% | 34% | 42% | 48% | 42% | 43% | 39% | 40% | 43% | 45% | 39% | 41% | 44% | 34% | 44% | 47% | 44% | 37% | 41% | 41% | 43% | 41% | 43% | 41% | 39% |
| Moderately oppose | 20% | 30% | 27% | 27% | 18% | 19% | 11% | 26% | 21% | 19% | 22% | 19% | 19% | 20% | 21% | 20% | 24% | 16% | 19% | 20% | 19% | 21% | 16% | 22% | 25% | 21% |
| Strongly oppose | 8% | 8% | 13% | 9% | 6% | 10% | 2% | 10% | 11% | 5% | 8% | 9% | 7% | 11% | 14% | 9% | 6% | 4% | 6% | 7% | 7% | 10% | 7% | 9% | 8% | 10% |
| Top2Box | 72% | 62% | 60% | 63% | 75% | 71% | 87% | 64% | 68% | 76% | 70% | 72% | 73% | 69% | 65% | 71% | 71% | 80% | 76% | 73% | 73% | 69% | 77% | 69% | 67% | 70% |
| Bottom2Box | 28% | 38% | 40% | 37% | 25% | 29% | 13% | 36% | 32% | 24% | 30% | 28% | 27% | 31% | 35% | 29% | 29% | 20% | 24% | 27% | 27% | 31% | 23% | 31% | 33% | 30% |

Q9.[Requiring young athletes to follow a "Return to Play" policy - steps they must take before returning to normal activity after a suspected concussion]Would you support or oppose each of the following policies?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|---------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35- 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly support | 58% | 54% | 58% | 52% | 57% | 59% | 62% | 58% | 52% | 64% | 45% | 57% | 70% | 38% | 49% | 65% | 51% | 65% | 76% | 58% | 57% | 60% | 58% | 60% | 60% | 53% |
| Moderately support | 34% | 34% | 33% | 40% | 38% | 34% | 33% | 37% | 38% | 30% | 44% | 36% | 24% | 49% | 41% | 28% | 41% | 31% | 19% | 32% | 37% | 34% | 31% | 34% | 33% | 40% |
| Moderately oppose | 5% | 8% | 9% | 7% | 5% | 5% | 4% | 3% | 8% | 3% | 8% | 5% | 4% | 11% | 7% | 6% | 6% | 3% | 1% | 7% | 4% | 4% | 7% | 5% | 5% | 5% |
| Strongly oppose | 2% | 4% | 0% | 1% | 1% | 3% | 1% | 2% | 2% | 2% | 2% | 2% | 2% | 3% | 3% | 1% | 2% | 1% | 4% | 3% | 1% | 2% | 4% | 1% | 1% | 2% |
| Top2Box | 92% | 88% | 91% | 92% | 94% | 92% | 94% | 95% | 90% | 95% | 89% | 93% | 94% | 86% | 90% | 93% | 92% | 96% | 95% | 90% | 94% | 94% | 89% | 95% | 94% | 93% |
| Bottom2Box | 8% | 12% | 9% | 8% | 6% | 8% | 6% | 5% | 10% | 5% | 11% | 7% | 6% | 14% | 10% | 7% | 8% | 4% | 5% | 10% | 6% | 6% | 11% | 5% | 6% | 7% |

Q9.[Requiring young athletes to obtain a doctor's permission before returning to sports after a suspected concussion]Would you support or oppose each of the following policies?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly support | 64% | 58% | 57% | 59% | 65% | 62% | 72% | 69% | 57% | 71% | 55% | 62% | 74% | 46% | 54% | 66% | 61% | 69% | 82% | 64% | 69% | 59% | 63% | 66% | 61% | 64% |
| Moderately support | 28% | 33% | 33% | 33% | 29% | 28% | 22% | 25% | 34% | 22% | 34% | 30% | 21% | 42% | 35% | 27% | 27% | 24% | 14% | 28% | 26% | 30% | 27% | 27% | 32% | 25% |
| Moderately oppose | 6% | 6% | 9% | 6% | 5% | 7% | 5% | 4% | 7% | 5% | 9% | 7% | 3% | 9% | 7% | 5% | 9% | 6% | 1% | 6% | 4% | 10% | 7% | 6% | 6% | 5% |
| Strongly oppose | 2% | 2% | 2% | 2% | 1% | 3% | 2% | 2% | 3% | 2% | 3% | 2% | 2% | 3% | 3% | 2% | 3% | 0% | 3% | 3% | 1% | 2% | 3% | 1% | 1% | 5% |
| Top2Box | 92% | 91% | 89% | 92% | 94% | 91% | 94% | 93% | 90% | 93% | 88% | 91% | 95% | 88% | 90% | 93% | 89% | 93% | 96% | 91% | 95% | 89% | 91% | 93% | 93% | 90% |
| Bottom2Box | 8% | 9% | 11% | 8% | 6% | 9% | 6% | 7% | 10% | 7% | 12% | 9% | 5% | 12% | 10% | 7% | 11% | 7% | 4% | 9% | 5% | 11% | 9% | 7% | 7% | 10% |

Q9.[Requiring coaches to be educated on the risks of concussions as a condition of their eligibility to coach]Would you support or oppose each of the following policies?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly support | 74% | 71% | 74% | 64% | 74% | 75% | 74% | 78% | 68% | 79% | 68% | 73% | 79% | 62% | 64% | 75% | 74% | 81% | 83% | 71% | 76% | 75% | 72% | 75% | 77% | 73% |
| Moderately support | 21% | 22% | 19% | 31% | 19% | 20% | 23% | 16% | 25% | 17% | 24% | 23% | 17% | 27% | 29% | 20% | 21% | 17% | 13% | 22% | 21% | 20% | 20% | 22% | 19% | 21% |
| Moderately oppose | 3% | 3% | 6% | 5% | 6% | 2% | 4% | 4% | 5% | 2% | 6% | 2% | 2% | 9% | 3% | 3% | 3% | 1% | 0% | 4% | 2% | 3% | 5% | 2% | 1% | 3% |
| Strongly oppose | 2% | 4% | 2% | 0% | 1% | 3% | 0% | 3% | 2% | 2% | 2% | 2% | 2% | 2% | 4% | 1% | 2% | 1% | 3% | 3% | 1% | 2% | 3% | 1% | 2% | 2% |
| Top2Box | 95% | 93% | 92% | 95% | 94% | 95% | 96% | 93% | 93% | 96% | 92% | 95% | 96% | 89% | 93% | 95% | 94% | 98% | 97% | 93% | 96% | 95% | 92% | 97% | 97% | 95% |
| Bottom2Box | 5% | 7% | 8% | 5% | 6% | 5% | 4% | 7% | 7% | 4% | 8% | 5% | 4% | 11% | 7% | 5% | 6% | 2% | 3% | 7% | 4% | 5% | 8% | 3% | 3% | 5% |

Q9.[Not allowing kids under the age of 14 to play contact sports]Would you support or oppose each of the following policies?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|--------------------|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Strongly support | 17% | 13% | 14% | 7% | 16% | 15% | 26% | 14% | 15% | 18% | 16% | 16% | 19% | 13% | 15% | 17% | 18% | 17% | 20% | 17% | 15% | 18% | 20% | 16% | 18% | 12% |
| Moderately support | 26% | 30% | 18% | 23% | 24% | 25% | 32% | 24% | 26% | 26% | 24% | 28% | 27% | 31% | 25% | 25% | 19% | 30% | 29% | 27% | 26% | 28% | 27% | 22% | 26% | |
| Moderately oppose | 34% | 37% | 29% | 43% | 38% | 34% | 30% | 44% | 34% | 34% | 38% | 32% | 33% | 38% | 33% | 32% | 37% | 31% | 34% | 34% | 33% | 35% | 32% | 36% | 30% | 38% |
| Strongly oppose | 23% | 21% | 39% | 27% | 23% | 27% | 12% | 18% | 24% | 22% | 22% | 24% | 22% | 18% | 27% | 26% | 26% | 22% | 18% | 22% | 26% | 21% | 20% | 22% | 30% | 24% |
| Top2Box | 43% | 42% | 32% | 30% | 39% | 40% | 58% | 38% | 42% | 44% | 40% | 44% | 45% | 44% | 40% | 42% | 37% | 48% | 49% | 44% | 42% | 44% | 48% | 42% | 40% | 37% |
| Bottom2Box | 57% | 58% | 68% | 70% | 61% | 60% | 42% | 62% | 58% | 56% | 60% | 56% | 55% | 56% | 60% | 58% | 63% | 52% | 51% | 56% | 58% | 56% | 52% | 58% | 60% | 63% |

Q10.If a certified trainer or other health professional were required to be onsite for organized youth games, who should be most responsible for covering those costs?

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|---|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|-------------|-------------|----------|---------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18- 34 | Male 35- 54 | Male 55+ | Female 18- 34 | Female 35 54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Parents/player fees | 20% | 16% | 21% | 24% | 16% | 20% | 22% | 17% | 23% | 16% | 13% | 22% | 24% | 13% | 26% | 28% | 12% | 17% | 19% | 19% | 22% | 18% | 19% | 19% | 31% | 13% |
| The organization (school, youth sports league etc.) | 45% | 48% | 44% | 46% | 52% | 45% | 46% | 41% | 45% | 45% | 47% | 42% | 48% | 51% | 41% | 46% | 43% | 42% | 50% | 45% | 45% | 46% | 45% | 47% | 41% | 46% |
| The government | 16% | 14% | 14% | 14% | 12% | 18% | 16% | 20% | 16% | 17% | 23% | 18% | 10% | 23% | 17% | 9% | 23% | 18% | 10% | 17% | 15% | 16% | 18% | 17% | 14% | 16% |
| Don't know/Can't say | 18% | 22% | 22% | 17% | 20% | 17% | 16% | 21% | 16% | 21% | 18% | 19% | 19% | 13% | 16% | 17% | 21% | 22% | 20% | 18% | 17% | 19% | 19% | 17% | 13% | 25% |

Personal Concussion Experience (i.e. those who had -- or think they had -- at least one a concussion either as an adult or as a child)

| | Total | Region | | | | | | | Gender | | Age | | | Age/Gender | | | | | | Education | | | Household Income | | | |
|-----|-------|--------|-----|-----|-----|-----|-----|-----|--------|--------|-------|-------|-----|------------|------------|----------|--------------|--------------|------------|------------|----------------------|-------|------------------|-------------|---------|-----------|
| | | BC | AB | SK | MB | ON | QC | ATL | Male | Female | 18-34 | 35-54 | 55+ | Male 18-34 | Male 35-54 | Male 55+ | Female 18-34 | Female 35-54 | Female 55+ | HS or less | College/ Tech school | Univ+ | <\$50K | \$50K-\$99K | \$100K+ | No Answer |
| Yes | 19% | 19% | 21% | 26% | 25% | 21% | 14% | 20% | 28% | 11% | 20% | 23% | 16% | 26% | 32% | 25% | 15% | 13% | 6% | 18% | 20% | 20% | 18% | 20% | 26% | 14% |
| No | 81% | 81% | 79% | 74% | 75% | 79% | 86% | 80% | 72% | 89% | 80% | 77% | 84% | 74% | 68% | 75% | 85% | 87% | 94% | 82% | 80% | 80% | 82% | 80% | 74% | 86% |