

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Current in Pain	1662	1080	503	576	582

*All regional sample sizes are unweighted. All other sample sizes, including column totals, are weighted to census data. Cells containing "0%" are stastically zero, although at least one response was received. Blank cells indicate zero responses received. * indicates small sample size.*

QA3. To confirm, have you yourself experienced this kind on ongoing pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Yes, currently	100%	100%	100%	100%	100%

QA4a. Do you currently spend time with, help out or provide care for someone else who lives with this type of on-going pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
No, do not	58%	55%	51%	58%	63%
Yes, spend time with	36%	36%	36%	36%	35%
Yes, help / provide care for	12%	14%	19%	11%	7%
Net: Yes	42%	45%	49%	42%	37%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Spend time with/provide care to someone in pain	703	485	246	240	218

QA4b. And what is your relationship to that person living with on-going pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
A parent	37%	37%	32%	42%	37%
A spouse or partner	36%	41%	32%	50%	27%
Another family member	23%	21%	18%	23%	29%
A friend	19%	19%	27%	11%	19%
A child	6%	6%	8%	3%	7%
A parent-in-law	6%	6%	6%	5%	5%
A neighbor	4%	5%	8%	2%	2%
A co-worker	3%	2%	3%	2%	4%
Someone else (specify)	4%	4%	8%	*%	5%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Current in Pain	1662	1080	503	576	582

QA4b. [Rebase to all respondents] And what is your relationship to that person living with on-going pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
A parent	16%	16%	15%	17%	14%
A spouse or partner	15%	18%	15%	21%	10%
Another family member	9%	9%	9%	9%	10%
A friend	8%	8%	13%	4%	7%
A parent-in-law	2%	3%	3%	2%	2%
A child	2%	2%	4%	1%	2%
A neighbor	2%	2%	4%	1%	1%
A co-worker	1%	1%	1%	1%	2%
Someone else (specify)	3%	2%	4%	1%	3%
No, do not	58%	55%	51%	58%	63%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Spend time with/provide care to someone in pain	703	485	246	240	218

QA4c. And which of these people's pain condition would you say you are most familiar with?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
A spouse or partner	34%	38%	28%	49%	25%
A parent	28%	25%	25%	25%	33%
A parent-in-law	2%	2%	2%	1%	4%
A child	5%	5%	7%	3%	5%
Another family member	15%	14%	13%	15%	17%
A friend	9%	10%	15%	6%	6%
A neighbor	1%	1%	1%	1%	1%
A co-worker	1%	1%	1%	*%	1%
Someone else	6%	5%	8%	1%	8%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Current in Pain	1662	1080	503	576	582

QA4c. [Rebase to All respondents] And which of these people's pain condition would you say you are most familiar with?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
A spouse or partner	14%	17%	14%	20%	9%
A parent	12%	11%	12%	10%	12%
A parent-in-law	1%	1%	1%	1%	1%
A child	2%	2%	3%	1%	2%
Another family member	6%	6%	7%	6%	6%
A friend	4%	5%	7%	2%	2%
A neighbor	*%	*%	*%	*%	*%
A co-worker	*%	*%	*%	*%	*%
Someone else	2%	2%	4%	*%	3%
No, do not	58%	55%	51%	58%	63%

QB1a. How long have you had this pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Less than a year	12%				34%
1 to 2 years	12%	13%	12%	14%	10%
3 to 5 years	23%	27%	20%	34%	15%
6 to 10 years	24%	24%	28%	21%	22%
10 to 20 years	17%	20%	23%	18%	12%
20+ years	12%	15%	17%	13%	7%
MEAN	8.7	10.0	10.9	9.3	6.2

QB2. As far as you know, what were the factors that contributed to the development of this pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Injury – motor vehicle / sports / workplace etc	45%	44%	46%	42%	48%
Posture or repetitive movements	28%	27%	25%	29%	29%
Age-related condition / illness (osteoarthritis etc)	28%	29%	32%	26%	26%
Inflammatory or auto-immune disease (rheumatoid arthritis etc)	20%	24%	24%	24%	13%
Chronic disease (such as diabetes / Chrohns / colitis)	15%	17%	20%	14%	13%
Surgery	13%	12%	14%	10%	14%
Following a stressful / traumatic event	12%	13%	18%	9%	9%
Treatment for another illness (not cancer)	3%	3%	3%	3%	4%
Cancer treatment (other than surgery)	1%	2%	2%	2%	1%
No precise cause / Undiagnosed / Don't know	16%	14%	14%	14%	20%
Some other cause (Specify)	2%	2%	3%	1%	2%

QB3a. Thinking about that pain that you experience(d), how would you describe it at its worst?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Barely noticeable	1%				3%
Minor	6%				16%
Moderate	35%	36%		68%	32%
Severe	46%	50%	75%	28%	39%
Pain as bad as you can imagine	12%	14%	25%	4%	10%
Top2box	7%				19%
Bottom2box	59%	64%	100%	32%	49%

QB3b. And how would you describe the pain on average?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Barely noticeable	2%				6%
Minor	22%	12%		23%	42%
Moderate	61%	67%	59%	74%	48%
Severe	14%	19%	38%	3%	4%
Pain as bad as you can imagine	1%	1%	3%		*%
Top2box	24%	12%		23%	47%
Bottom2box	15%	21%	41%	3%	5%

QB4. [Top2box] How would you describe your own pain experience on the following dimensions?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Constant	41%	41%	49%	34%	41%
Predictable	36%	34%	31%	37%	41%
Well Managed	24%	20%	14%	25%	33%

QB4. [Bottom2box] How would you describe your own pain experience on the following dimensions?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Intermittent	36%	34%	32%	36%	39%
Unpredictable	41%	43%	45%	41%	37%
Out of control	33%	39%	49%	31%	23%

QB4. How would you describe your own pain experience on the following dimensions? Is it: Constant or intermittent

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
1 Constant	11%	14%	20%	9%	4%
2	31%	27%	29%	25%	37%
3	23%	24%	19%	29%	21%
4	19%	18%	17%	19%	21%
5 Intermittent	17%	16%	15%	17%	18%
Top2box	41%	41%	49%	34%	41%
Bottom2box	41%	43%	45%	41%	37%

QB4. How would you describe your own pain experience on the following dimensions? Is it: Predictable or unpredictable

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
1- Predictable	13%	13%	15%	11%	12%
2	24%	21%	15%	26%	29%
3	23%	23%	24%	23%	22%
4	20%	20%	17%	22%	20%
5- Unpredictable	21%	23%	28%	19%	18%
Top2box	36%	34%	31%	37%	41%
Bottom2box	41%	43%	45%	41%	37%

QB4. How would you describe your own pain experience on the following dimensions? Is it: Well managed or out of control

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
1 Well managed	3%	2%	1%	2%	6%
2	21%	18%	12%	23%	27%
3	42%	41%	38%	44%	45%
4	19%	22%	28%	17%	14%
5 Out of control	14%	17%	20%	14%	9%
Top2box	24%	20%	14%	25%	33%
Bottom2box	33%	39%	49%	31%	23%

QB5. SCORE- Please indicate the extent to which your pain interferes with each of the following:

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
7	1%				2%
8	*%				1%
9	1%				4%
10	1%				3%
11	3%	*%		*%	8%
12	5%	1%		1%	12%
13	8%	2%		3%	19%
14	7%	2%		4%	15%
15	3%	4%	*%	7%	2%
16	4%	5%	1%	9%	2%
17	6%	9%	3%	14%	1%
18	6%	6%	3%	10%	6%
19	3%	4%	5%	3%	3%
20	8%	10%	10%	9%	5%
21	6%	8%	8%	8%	3%
22	6%	8%	9%	7%	2%
23	5%	7%	8%	6%	1%
24	4%	6%	7%	5%	1%
25	4%	6%	7%	4%	2%
26	6%	4%	8%	1%	9%
27	4%	5%	7%	4%	*%
28	3%	5%	7%	4%	*%
29	2%	3%	6%	*%	1%
30	1%	1%	3%	*%	
31	1%	1%	3%		*%
32	*%	1%	1%		
33	*%	1%	1%	*%	
34	1%	1%	2%	*%	
35	1%	1%	2%	*%	
Mean	19.7	21.9	24.4	19.6	15.6
Mean		FG	DFG	G	

QB5. [Does not interfere/ a bit] Please indicate the extent to which your pain interferes with each of the following:

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Your general activity (getting dressed, in and out of vehicles, meal prep etc)	48%	33%	17%	47%	75%
Your mood	35%	19%	10%	27%	65%
Walking ability	43%	31%	17%	44%	64%
Normal work (outside the home and/or housework and/or school)	32%	17%	6%	27%	61%
Relationships with other people	62%	48%	33%	61%	87%
Sleep	38%	25%	14%	35%	61%
Your enjoyment of life	34%	20%	12%	27%	62%

QB5. [A lot/ completely interfres] Please indicate the extent to which your pain interferes with each of the following:

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Your general activity (getting dressed, in and out of vehicles, meal prep etc)	22%	28%	43%	15%	12%
Your mood	31%	41%	57%	26%	14%
Walking ability	29%	37%	51%	26%	13%
Normal work (outside the home and/or housework and/or school)	38%	50%	67%	36%	16%
Relationships with other people	17%	25%	34%	17%	3%
Sleep	32%	41%	57%	27%	16%
Your enjoyment of life	36%	45%	59%	33%	18%

QB5. [Your general activity] Please indicate the extent to which your pain interferes with each of the following:

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Does not interfere	15%	6%	3%	9%	33%
A bit	32%	27%	14%	38%	42%
To some degree	30%	39%	41%	38%	13%
A lot	17%	23%	34%	14%	5%
Completely interferes	6%	5%	9%	2%	6%
Top2box	48%	33%	17%	47%	75%
Bottom2box	22%	28%	43%	15%	12%

QB5. [Your mood] Please indicate the extent to which your pain interferes with each of the following:

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Does not interfere	7%	3%	1%	5%	14%
A bit	28%	16%	9%	22%	50%
To some degree	34%	40%	32%	47%	21%
A lot	26%	33%	44%	23%	12%
Completely interferes	6%	7%	13%	3%	2%
Top2box	35%	19%	10%	27%	65%
Bottom2box	31%	41%	57%	26%	14%

QB5. [Walking ability] Please indicate the extent to which your pain interferes with each of the following:

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Does not interfere	20%	10%	6%	14%	37%
A bit	23%	21%	11%	30%	27%
To some degree	28%	31%	32%	31%	23%
A lot	20%	27%	33%	22%	6%
Completely interferes	9%	10%	17%	4%	7%
Top2box	43%	31%	17%	44%	64%
Bottom2box	29%	37%	51%	26%	13%

QB5. [Normal work] Please indicate the extent to which your pain interferes with each of the following:

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Does not interfere	6%	2%	1%	3%	14%
A bit	26%	15%	5%	23%	47%
To some degree	30%	33%	27%	38%	23%
A lot	25%	32%	34%	30%	12%
Completely interferes	13%	18%	33%	6%	3%
Top2box	32%	17%	6%	27%	61%
Bottom2box	38%	50%	67%	36%	16%

QB5. [Relationships with other people] Please indicate the extent to which your pain interferes with each of the following:

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Does not interfere	32%	19%	10%	27%	55%
A bit	30%	29%	23%	35%	32%
To some degree	21%	27%	33%	22%	9%
A lot	15%	21%	27%	15%	3%
Completely interferes	3%	4%	7%	1%	1%
Top2box	62%	48%	33%	61%	87%
Bottom2box	17%	25%	34%	17%	3%

QB5. [Sleep] Please indicate the extent to which your pain interferes with each of the following:

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Does not interfere	10%	9%	3%	14%	13%
A bit	27%	16%	11%	21%	48%
To some degree	30%	34%	29%	38%	23%
A lot	26%	32%	43%	23%	15%
Completely interferes	6%	8%	14%	3%	1%
Top2box	38%	25%	14%	35%	61%
Bottom2box	32%	41%	57%	27%	16%

QB5. [Your enjoyment of life] Please indicate the extent to which your pain interferes with each of the following:

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Does not interfere	7%	2%	2%	2%	17%
A bit	27%	17%	9%	24%	45%
To some degree	30%	35%	30%	40%	20%
A lot	27%	34%	40%	28%	15%
Completely interferes	9%	11%	19%	5%	3%
Top2box	34%	20%	12%	27%	62%
Bottom2box	36%	45%	59%	33%	18%

QB6. Has your own experience with on-going pain led you to any of the following?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Avoid activities / doing things	77%	83%	90%	77%	64%
Stress and anxiety	52%	57%	66%	50%	43%
Depression	37%	45%	57%	34%	24%
Isolation / Cut off from others	32%	40%	50%	31%	18%
Loneliness	21%	27%	37%	19%	10%
Using non-prescribed drugs	21%	23%	24%	21%	17%
Feeling that life isn't worth living	19%	23%	33%	14%	11%
Using too much prescription medicine	15%	14%	18%	10%	18%
Drinking too much alcohol	15%	14%	13%	14%	18%
Smoking too much	14%	15%	18%	12%	13%
Other (Specify:)	2%	2%	4%	1%	1%
No, none of the above	10%	4%	2%	6%	21%
Rather not answer	1%	1%	1%	2%	*%

QB7. Top2box - Feel about pain

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Pessimistic that it will ever be okay	31%	38%	40%	37%	18%
Feeling hopeless about managing with this	27%	33%	37%	30%	15%
Alone in your struggle	31%	36%	40%	32%	21%
Frustrated	52%	58%	62%	55%	41%
Doubted	23%	30%	30%	29%	12%
Misunderstood	29%	33%	36%	31%	21%
Ashamed and embarrassed talking about your pain	19%	24%	28%	20%	11%
Me and my pain are being judged by others	21%	25%	30%	20%	14%

QB7. Bottom2box - Feel about pain

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Optimistic that pain will not keep you from living a good life	39%	31%	31%	32%	52%
Feeling hopeful	43%	36%	29%	43%	56%
Supported by others	42%	38%	38%	38%	50%
At peace	23%	18%	18%	19%	31%
Believed	49%	43%	43%	42%	60%
Understood	44%	37%	35%	39%	58%
Open and confident talking about it	56%	50%	49%	51%	68%
Me and my pain are accepted by others	46%	42%	39%	45%	54%

QB7. Pessimistic that it will ever be okay- Optimistic that pain will not keep you from living a good life

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
1 Pessimistic that it will ever be okay	10%	13%	16%	10%	4%
2	22%	26%	24%	27%	14%
3	30%	30%	29%	31%	30%
4	24%	20%	18%	22%	31%
5 Optimistic that pain will not keep you from living a good life	14%	11%	13%	10%	20%
Top2box	31%	38%	40%	37%	18%
Bottom2box	39%	31%	31%	32%	52%

QB7. Feeling hopeless about managing with this- Feeling hopeful

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
1 Feeling hopeless about managing with this	7%	10%	13%	7%	3%
2	20%	24%	25%	23%	12%
3	30%	30%	34%	27%	29%
4	28%	25%	19%	31%	33%
5 Feeling hopeful	15%	11%	9%	13%	24%
Top2box	27%	33%	37%	30%	15%
Bottom2box	43%	36%	29%	43%	56%

QB7. Alone in your struggle- Supported by others

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
1 Alone in your struggle	11%	14%	18%	10%	5%
2	20%	22%	22%	23%	16%
3	27%	26%	22%	30%	29%
4	26%	23%	21%	25%	32%
5 Supported by others	16%	15%	17%	13%	18%
Top2box	31%	36%	40%	32%	21%
Bottom2box	42%	38%	38%	38%	50%

QB7. Frustrated- At Peace

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
1 Frustrated	17%	22%	29%	15%	9%
2	35%	37%	32%	40%	32%
3	25%	23%	20%	26%	29%
4	13%	11%	9%	12%	17%
5 At Peace	10%	8%	9%	6%	14%
Top2box	52%	58%	62%	55%	41%
Bottom2box	23%	18%	18%	19%	31%

QB7. Doubted- Believed

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
1 Doubted	8%	11%	13%	9%	4%
2	15%	19%	18%	20%	8%
3	28%	28%	26%	29%	28%
4	25%	20%	18%	22%	34%
5 Believed	24%	23%	25%	20%	27%
Top2box	23%	30%	30%	29%	12%
Bottom2box	49%	43%	43%	42%	60%

QB7. Misunderstood- Understood

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
1 Misunderstood	10%	12%	15%	10%	6%
2	19%	21%	21%	21%	15%
3	27%	30%	29%	30%	22%
4	25%	19%	14%	23%	37%
5 Understood	19%	18%	21%	15%	21%
Top2box	29%	33%	36%	31%	21%
Bottom2box	44%	37%	35%	39%	58%

QB7 Ashamed and embarrassed talking about your pain- Open and confident talking about it

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
1 Ashamed and embarrassed talking about your pain	7%	9%	14%	5%	4%
2	12%	15%	14%	15%	8%
3	24%	27%	23%	29%	21%
4	26%	22%	20%	24%	34%
5 Open and confident talking about it	30%	28%	29%	26%	34%
Top2box	19%	24%	28%	20%	11%
Bottom2box	56%	50%	49%	51%	68%

QB7. Me and my pain are being judged by others- Me and my pain are accepted by others

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
1 Me and my pain are being judged by others	8%	9%	13%	6%	6%
2	13%	16%	18%	14%	8%
3	32%	33%	30%	35%	31%
4	24%	22%	18%	25%	29%
5 Me and my pain are accepted by others	22%	20%	21%	20%	25%
Top2box	21%	25%	30%	20%	14%
Bottom2box	46%	42%	39%	45%	54%

QB8. SCORE- To what extent would you say each of the following is: supportive or not supportive of your pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
7	1%	1%	*%	1%	2%
8	*%	*%	1%		*%
9	*%	1%	*%	1%	*%
10	3%	1%	1%	1%	7%
11	1%	*%	*%	*%	1%
12	1%	1%	1%	1%	1%
13	2%	2%	1%	2%	4%
14	3%	3%	2%	4%	3%
15	3%	4%	3%	5%	1%
16	3%	3%	3%	3%	3%
17	2%	3%	4%	1%	2%
18	5%	6%	7%	6%	2%
19	3%	4%	5%	3%	2%
20	4%	3%	3%	3%	7%
21	4%	5%	5%	6%	1%
22	4%	6%	6%	6%	2%
23	6%	5%	6%	4%	7%
24	7%	7%	5%	9%	7%
25	2%	2%	3%	2%	3%
26	3%	4%	4%	3%	3%
27	3%	3%	3%	2%	2%
28	5%	6%	5%	7%	3%
29	4%	4%	5%	3%	4%
30	3%	3%	2%	4%	2%
31	3%	3%	4%	2%	2%
32	4%	5%	5%	4%	2%
33	4%	3%	3%	3%	6%
34	2%	2%	2%	2%	2%
35	3%	2%	2%	1%	6%
36	2%	2%	2%	2%	3%
37	2%	2%	1%	2%	3%
38	1%	1%	*%	1%	2%
39	1%	1%	2%	1%	2%
40	1%	1%	1%	1%	1%
41	1%	1%	*%	1%	*%
42	*%	*%	*%	1%	1%
43	*%	*%	*%		1%
44	*%	*%	*%	1%	

45	%	%	%	1%	%
46	%	%	%		%
47	%	%	%	%	
48	%	%		%	1%
49	%	%	%	%	%
Mean	24.8	24.6	24.7	24.6	25.0

QB8. [Supportive] To what extent would you say each of the following is: supportive or not supportive of your pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Your GP -- family doctor	66%	67%	70%	64%	64%
Your specialist	58%	56%	59%	53%	62%
Your spouse	55%	55%	52%	57%	54%
Your children	42%	41%	44%	39%	44%
Other close family	62%	61%	58%	63%	65%
Your friends	60%	58%	55%	61%	63%
Your employer	25%	24%	20%	27%	27%

QB8. [Not Supportive] To what extent would you say each of the following is: supportive or not supportive of your pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Your GP -- family doctor	19%	19%	20%	18%	18%
Your specialist	11%	13%	16%	12%	7%
Your spouse	9%	12%	9%	15%	4%
Your children	7%	10%	12%	8%	1%
Other close family	13%	16%	18%	15%	7%
Your friends	11%	14%	18%	11%	4%
Your employer	12%	15%	18%	14%	7%

QB8. [Your GP – family doctor] To what extent would you say each of the following is: supportive or not supportive of your pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very supportive of your pain	23%	21%	23%	20%	25%
Supportive	43%	45%	47%	44%	39%
Not supportive	14%	15%	12%	17%	14%
Very unsupportive of your pain	4%	5%	8%	2%	4%
Not at all involved	6%	5%	3%	7%	8%
They are not aware	5%	3%	2%	3%	7%
Not applicable / Don't have	5%	6%	4%	8%	3%
Net: Supportive	66%	67%	70%	64%	64%
Net: Unsupportive	19%	19%	20%	18%	18%

QB8. [Your specialist] To what extent would you say each of the following is: supportive or not supportive of your pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very supportive of your pain	20%	18%	20%	15%	24%
Supportive	38%	38%	39%	38%	38%
Not supportive	8%	10%	10%	10%	5%
Very unsupportive of your pain	3%	4%	5%	2%	2%
Not at all involved	5%	5%	4%	5%	5%
They are not aware	2%	2%	1%	2%	4%
Not applicable / Don't have	24%	24%	21%	28%	22%
Net: Supportive	58%	56%	59%	53%	62%
Net: Unsupportive	11%	13%	16%	12%	7%

QB8. [Your spouse] To what extent would you say each of the following is: supportive or not supportive of your pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very supportive of your pain	29%	27%	26%	28%	32%
Supportive	26%	28%	25%	30%	22%
Not supportive	7%	10%	6%	14%	3%
Very unsupportive of your pain	2%	3%	3%	2%	1%
Not at all involved	2%	1%	1%	2%	4%
They are not aware	1%	*%	*%	*%	1%
Not applicable / Don't have	33%	31%	38%	25%	37%
Net: Supportive	55%	55%	52%	57%	54%
Net: Unsupportive	9%	12%	9%	15%	4%

QB8. [Your children] To what extent would you say each of the following is: supportive or not supportive of your pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very supportive of your pain	12%	12%	14%	11%	11%
Supportive	31%	29%	30%	28%	33%
Not supportive	6%	8%	9%	7%	1%
Very unsupportive of your pain	1%	2%	3%	*%	
Not at all involved	9%	9%	7%	10%	9%
They are not aware	7%	8%	6%	10%	6%
Not applicable / Don't have	35%	32%	31%	33%	40%
Net: Supportive	42%	41%	44%	39%	44%
Net: Unsupportive	7%	10%	12%	8%	1%

QB8. [Other close family] To what extent would you say each of the following is: supportive or not supportive of your pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very supportive of your pain	17%	12%	11%	13%	25%
Supportive	46%	48%	47%	50%	40%
Not supportive	10%	13%	12%	13%	5%
Very unsupportive of your pain	3%	3%	6%	1%	1%
Not at all involved	14%	13%	13%	14%	15%
They are not aware	6%	4%	5%	3%	9%
Not applicable / Don't have	5%	6%	6%	5%	4%
Net: Supportive	62%	61%	58%	63%	65%
Net: Unsupportive	13%	16%	18%	15%	7%

QB8. [Your friends] To what extent would you say each of the following is: supportive or not supportive of your pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very supportive of your pain	12%	9%	11%	8%	17%
Supportive	48%	49%	44%	53%	47%
Not supportive	9%	12%	15%	10%	4%
Very unsupportive of your pain	1%	2%	2%	1%	*%
Not at all involved	16%	15%	17%	14%	18%
They are not aware	9%	8%	7%	10%	11%
Not applicable / Don't have	4%	4%	3%	5%	4%
Net: Supportive	60%	58%	55%	61%	63%
Net: Unsupportive	11%	14%	18%	11%	4%

QB8. [Your employer] To what extent would you say each of the following is: supportive or not supportive of your pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very supportive of your pain	6%	6%	5%	6%	6%
Supportive	19%	18%	14%	21%	22%
Not supportive	8%	10%	10%	10%	5%
Very unsupportive of your pain	4%	6%	8%	4%	2%
Not at all involved	8%	8%	7%	8%	8%
They are not aware	11%	7%	6%	9%	16%
Not applicable / Don't have	44%	46%	49%	43%	41%
Net: Supportive	25%	24%	20%	27%	27%
Net: Unsupportive	12%	15%	18%	14%	7%

QD1a. Please indicate which of the more specific types of treatments you have ever used

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
NET: Pharmaceutical	91%	93%	94%	92%	89%
-Prescribed pain medications	65%	68%	77%	59%	59%
-Over-the-counter pain medications	69%	71%	76%	68%	64%
-Cannabis (prescribed or not)	34%	39%	39%	39%	24%
NET: Medical treatments	29%	29%	38%	21%	28%
-Surgery	16%	16%	22%	12%	15%
-Other medical interventions	10%	11%	17%	6%	8%
-Medical devices	8%	9%	10%	8%	6%
NET: Other physical treatments	79%	81%	82%	80%	77%
-Exercise / Therapeutic movement / Yoga	58%	58%	57%	58%	58%
-Other lifestyle (diet/habits)	32%	37%	40%	35%	23%
-Physical Therapy / Physiotherapy	45%	47%	51%	42%	42%
-Manual Therapy	44%	45%	51%	41%	41%
-Other physical treatment(s)	10%	13%	19%	7%	4%
NET: Non-physical or psychological treatments	24%	28%	34%	22%	17%
-Counselling / Therapy (including ACT/CBT)	13%	13%	17%	10%	12%
-Support groups	4%	6%	10%	2%	1%
-Meditation	16%	17%	24%	12%	13%
-Hypnosis	1%	1%	1%	1%	*%
-Other psychological treatment(s)	3%	5%	2%	7%	*%
None of these	3%	3%	2%	3%	3%

QD1b. Treatments currently using

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
NET: Pharmaceutical	84%	89%	91%	87%	75%
-Prescribed pain medications	43%	45%	51%	39%	39%
-Over-the-counter pain medications	54%	59%	59%	59%	46%
-Cannabis (prescribed or not)	27%	33%	34%	32%	16%
NET: Medical treatments	10%	10%	14%	7%	10%
-Surgery	2%	3%	4%	2%	1%
-Other medical interventions	4%	4%	7%	2%	4%
-Medical devices	4%	4%	4%	4%	5%
NET: Other physical treatments	63%	64%	63%	65%	61%
-Exercise / Therapeutic movement / Yoga	43%	44%	46%	42%	41%
-Other lifestyle (diet/habits)	25%	30%	32%	28%	17%
-Physical Therapy / Physiotherapy	17%	17%	17%	17%	16%
-Manual Therapy	26%	27%	25%	29%	24%
-Other physical treatment(s)	5%	7%	12%	3%	2%
NET: Non-physical or psychological treatments	17%	17%	22%	12%	16%
-Counselling / Therapy (including ACT/CBT)	5%	5%	6%	5%	3%
-Support groups	3%	3%	5%	1%	4%
-Meditation	11%	11%	15%	7%	12%
-Hypnosis	*%	*%	*%	*%	
-Other psychological treatment(s)	*%	1%	1%	*%	*%
None of these	6%	4%	3%	5%	10%

QD2. Have we missed any chronic pain treatments that you think are important?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
No, can't think of any others	92%	91%	88%	93%	93%
Yes, (Please specify)	8%	9%	12%	7%	7%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	1073	731	390	341	343

QD3. [Prescribed pain medications] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	13%	11%	13%	8%	18%
Quite effective	53%	50%	41%	60%	58%
Not very effective	28%	33%	37%	28%	19%
Not effective at all	5%	5%	8%	2%	5%
Really can't say / Don't know	1%	1%	1%	1%	*%
Top2box	66%	61%	54%	69%	76%
Bottom2box	33%	38%	45%	30%	24%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	1140	770	381	389	370

QD3. [Over-the-counter pain medications] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	2%	2%	2%	2%	1%
Quite effective	37%	32%	28%	35%	46%
Not very effective	52%	55%	56%	54%	45%
Not effective at all	9%	11%	13%	9%	6%
Really can't say / Don't know	1%	*%	1%	*%	1%
Top2box	38%	34%	30%	37%	48%
Bottom2box	61%	66%	69%	63%	51%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	562	420	195	225	142

QD3. [Cannabis (prescribed or not)] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	27%	27%	25%	29%	28%
Quite effective	47%	49%	52%	45%	42%
Not very effective	19%	19%	16%	21%	20%
Not effective at all	4%	4%	5%	2%	5%
Really can't say / Don't know	3%	2%	2%	3%	5%
Top2box	74%	76%	77%	74%	70%
Bottom2box	23%	22%	21%	23%	25%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	263	178	111	66*	85*

QD3. [Surgery] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	13%	14%	14%	13%	12%
Quite effective	43%	31%	33%	27%	70%
Not very effective	32%	40%	36%	45%	15%
Not effective at all	5%	7%	7%	7%	1%
Really can't say / Don't know	7%	9%	9%	9%	2%
Top2box	57%	44%	47%	40%	82%
Bottom2box	37%	46%	43%	52%	16%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	166	120	86*	34*	46*

QD3. [Other medical interventions] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	18%	6%	7%	3%	51%
Quite effective	30%	36%	31%	48%	14%
Not very effective	30%	35%	35%	33%	19%
Not effective at all	14%	15%	18%	7%	12%
Really can't say / Don't know	8%	9%	9%	9%	4%
Top2box	48%	41%	37%	51%	65%
Bottom2box	44%	49%	53%	40%	30%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	132	98*	49*	49*	35*

QD3. [Medical devices] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	5%	3%	4%	3%	9%
Quite effective	19%	17%	24%	10%	25%
Not very effective	59%	59%	41%	76%	60%
Not effective at all	9%	11%	15%	8%	1%
Really can't say / Don't know	8%	9%	16%	3%	5%
Top2box	24%	21%	28%	13%	34%
Bottom2box	68%	70%	56%	84%	61%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	961	622	288	333	340

QD3. [Exercise / Therapeutic movement / Yoga] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	11%	9%	5%	12%	16%
Quite effective	44%	43%	35%	49%	46%
Not very effective	33%	36%	48%	25%	27%
Not effective at all	8%	11%	9%	13%	4%
Really can't say / Don't know	4%	2%	2%	2%	7%
Top2box	55%	52%	41%	61%	62%
Bottom2box	41%	47%	57%	38%	31%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	539	402	199	203	137

QD3. [Other lifestyle] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	15%	11%	10%	13%	26%
Quite effective	38%	43%	33%	54%	21%
Not very effective	37%	36%	49%	23%	39%
Not effective at all	6%	8%	7%	8%	3%
Really can't say / Don't know	4%	2%	1%	2%	10%
Top2box	53%	55%	42%	66%	47%
Bottom2box	43%	44%	56%	31%	43%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	745	503	258	245	242

QD3. [Physical Therapy / Physiotherapy] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	14%	11%	8%	14%	19%
Quite effective	40%	38%	34%	42%	46%
Not very effective	35%	39%	42%	36%	25%
Not effective at all	7%	7%	11%	3%	6%
Really can't say / Don't know	5%	5%	5%	5%	4%
Top2box	54%	49%	42%	56%	65%
Bottom2box	41%	47%	54%	39%	31%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	730	491	255	236	239

QD3. [Manual Therapy] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	19%	18%	13%	23%	20%
Quite effective	48%	48%	43%	54%	46%
Not very effective	25%	23%	31%	16%	28%
Not effective at all	5%	7%	10%	4%	
Really can't say / Don't know	4%	3%	3%	4%	6%
Top2box	66%	66%	57%	77%	67%
Bottom2box	30%	30%	40%	20%	28%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	158	137	96*	41*	21*

QD3. [Other physical treatment(s)] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	7%	7%	5%	11%	8%
Quite effective	36%	34%	39%	21%	48%
Not very effective	39%	40%	43%	34%	33%
Not effective at all	11%	13%	10%	20%	
Really can't say / Don't know	7%	6%	3%	14%	10%
Top2box	43%	40%	44%	32%	57%
Bottom2box	50%	53%	53%	54%	33%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	209	141	85*	56*	68*

QD3. [Counselling / Therapy (including ACT/CBT)] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	11%	13%	10%	18%	6%
Quite effective	31%	34%	38%	30%	23%
Not very effective	41%	33%	25%	44%	58%
Not effective at all	9%	13%	20%	1%	2%
Really can't say / Don't know	8%	6%	6%	7%	11%
Top2box	42%	48%	48%	48%	29%
Bottom2box	50%	46%	46%	45%	59%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	68*	60*	49*	10*	8*

QD3. [Support groups] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	13%	8%	2%	36%	50%
Quite effective	51%	51%	56%	28%	50%
Not very effective	24%	27%	29%	19%	
Not effective at all	2%	2%	2%	2%	
Really can't say / Don't know	10%	12%	11%	15%	
Top2box	64%	59%	58%	64%	100%
Bottom2box	26%	29%	31%	21%	

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	261	187	120	67*	74*

QD3. [Meditation] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	16%	15%	13%	17%	18%
Quite effective	39%	36%	37%	32%	48%
Not very effective	38%	39%	36%	46%	34%
Not effective at all	5%	7%	8%	4%	
Really can't say / Don't know	3%	4%	5%		
Top2box	55%	50%	50%	50%	66%
Bottom2box	43%	46%	44%	50%	34%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	13*	12*	7*	5*	1*

QD3. [Hypnosis] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	12%	3%		7%	100%
Quite effective	20%	23%	26%	18%	
Not very effective	31%	34%	43%	23%	
Not effective at all	27%	29%	20%	40%	
Really can't say / Don't know	10%	11%	10%	12%	
Top2box	32%	26%	26%	25%	100%
Bottom2box	58%	63%	64%	63%	

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use treatment	53*	51*	12*	39*	2*

QD3. [Other psychological treatment(s)] How effective is/was each of these for your own pain management?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very effective	20%	17%	10%	19%	100%
Quite effective	3%	3%	4%	2%	
Not very effective	64%	66%	44%	73%	
Not effective at all	9%	9%	34%	1%	
Really can't say / Don't know	5%	5%	9%	4%	
Top2box	22%	20%	13%	21%	100%
Bottom2box	73%	76%	78%	75%	

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Use at least one treatment	1558	1032	488	545	525

QD4. Are there any of these treatments you are currently using that you consider to be absolutely critical to your pain management – you would not go without?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
NET: Pharmaceutical	66%	70%	74%	66%	58%
-Prescribed pain medications	33%	34%	40%	28%	31%
-Over-the-counter pain medications	31%	34%	31%	36%	24%
-Cannabis (prescribed or not)	20%	23%	25%	22%	13%
NET: Medical treatments	4%	4%	6%	2%	4%
-Surgery	1%	1%	2%	*%	1%
-Other medical interventions	1%	1%	2%	1%	1%
-Medical devices	2%	2%	3%	1%	1%
NET: >Other physical treatments	42%	42%	41%	43%	42%
-Exercise / Therapeutic movement / Yoga	24%	22%	20%	23%	28%
-Other lifestyle (diet/habits)	11%	13%	15%	12%	5%
-Physical Therapy / Physiotherapy	7%	8%	8%	9%	5%
-Manual Therapy	17%	17%	16%	19%	16%
-Other physical treatment(s)	2%	4%	7%	1%	
NET: Non-physical or psychological treatments	8%	8%	9%	6%	10%
-Counselling / Therapy (including ACT/CBT)	3%	3%	3%	4%	3%
-Support groups	2%	1%	2%	*%	4%

-Meditation	4%	5%	7%	2%	3%
-Hypnosis	*%	*%	*%		
-Other psychological treatment(s) (biofeedback/virtual reality, etc)	*%	*%	*%	*%	
No, consider none of these as critical	16%	15%	13%	17%	17%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Current in Pain	1662	1080	503	576	582

QD5. Overall, would you say your total costs for any and all pain treatments has been:

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Always paid by you with no insurance / government coverage	22%	24%	24%	24%	18%
Mostly paid by you with some insurance / government coverage	27%	27%	25%	29%	27%
About 50:50 (you pay roughly half)	9%	11%	13%	9%	6%
Mostly paid by insurance / government with some paid by your household	24%	22%	22%	22%	28%
Always paid by insurance / government with nothing paid by your household in the end	12%	12%	10%	14%	12%
Not sure / Can't say	6%	4%	6%	3%	9%

QD6. Getting back to the specific treatments you indicated you are currently using, are any of these a financial struggle or hardship for you to afford?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
NET: Pharmaceutical	29%	35%	46%	26%	19%
-Prescribed pain medications	11%	14%	20%	8%	6%
-Over-the-counter pain medications	12%	14%	18%	11%	8%
-Cannabis (prescribed or not)	13%	17%	22%	12%	6%
NET: Medical treatments	3%	2%	4%	1%	4%
-Surgery	*%	*%	1%	*%	*%
-Other medical interventions	1%	1%	2%	1%	1%
-Medical devices	2%	1%	2%		3%
NET: Other physical treatments	25%	30%	34%	27%	16%
-Exercise / Therapeutic movement / Yoga	8%	10%	12%	9%	5%
-Other lifestyle (diet/habits)	6%	8%	10%	6%	2%
-Physical Therapy / Physiotherapy	6%	8%	10%	7%	3%
-Manual Therapy	13%	16%	16%	16%	9%
-Other physical treatment(s)	2%	3%	6%	*%	
NET: Non-physical or psychological treatments	3%	3%	3%	2%	2%
-Counselling / Therapy (including ACT/CBT)	2%	2%	2%	2%	2%
-Support groups	*%	*%	*%		
-Meditation	*%	*%	*%	*%	
-Other psychological treatment(s)	*%	*%	1%		
None of these	3%	2%	1%	3%	5%
No, none pose a financial hardship	51%	44%	36%	51%	62%

QD7. are there any of these pain treatments that you would use or would use more but don't because they cost too much money?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
NET: Pharmaceutical	32%	36%	44%	30%	25%
-Prescribed pain medications	14%	17%	23%	13%	7%
-Over-the-counter pain medications	8%	11%	14%	7%	5%
-Cannabis (prescribed or not)	19%	21%	25%	18%	15%
NET: Medical treatments	16%	20%	21%	19%	8%
-Surgery	6%	7%	7%	7%	3%
-Other medical interventions	10%	12%	15%	10%	5%
-Medical devices	7%	8%	10%	7%	4%
NET: Other physical treatments	50%	54%	56%	52%	42%
-Exercise / Therapeutic movement / Yoga	11%	13%	15%	12%	8%
-Other lifestyle (diet/habits)	6%	8%	8%	8%	2%
-Physical Therapy / Physiotherapy	30%	31%	30%	32%	28%
-Manual Therapy	37%	42%	45%	38%	28%
-Other physical treatment(s)	6%	7%	9%	5%	3%
NET: Non-physical or psychological treatments	20%	20%	23%	18%	21%
-Counselling / Therapy (including ACT/CBT)	11%	13%	15%	11%	8%
-Support groups	2%	3%	5%	1%	1%
-Meditation	2%	2%	4%	1%	2%
-Hypnosis	8%	7%	7%	7%	8%
-Other psychological treatment(s)	6%	7%	8%	5%	6%
No, None I would use/use more	34%	28%	25%	31%	46%

QD8. as far as you are aware, are any of these possible pain treatments unavailable where you live?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
NET: Pharmaceutical	10%	10%	13%	7%	9%
-Prescribed pain medications	5%	5%	7%	4%	6%
-Over-the-counter pain medications	5%	5%	7%	3%	4%
-Cannabis (prescribed or not)	4%	4%	6%	3%	4%
NET: Medical treatments	12%	13%	15%	12%	11%
-Surgery	8%	8%	8%	8%	9%
-Other medical interventions	9%	10%	12%	9%	6%
-Medical devices	7%	8%	8%	8%	6%
NET: Other physical treatments	8%	8%	11%	5%	10%
-Exercise / Therapeutic movement / Yoga	3%	2%	3%	2%	4%
-Other lifestyle (diet/habits)	2%	2%	2%	2%	2%
-Physical Therapy / Physiotherapy	5%	4%	6%	3%	5%
-Manual Therapy	5%	4%	6%	2%	7%
-Other physical treatment(s)	5%	3%	5%	2%	8%
NET: Non-physical or psychological treatments	10%	10%	13%	7%	9%
-Counselling / Therapy (including ACT/CBT)	4%	4%	6%	3%	4%
-Support groups	5%	6%	9%	4%	3%
-Meditation	4%	4%	5%	2%	4%
-Hypnosis	5%	5%	7%	4%	6%
-Other psychological treatment(s) (biofeedback/virtual reality, etc)	6%	6%	8%	5%	6%

No, all of these exist within an hour's drive of me	78%	75%	70%	79%	82%
---	-----	-----	-----	-----	-----

QD9. Do any of these treatments have long wait times in your area – let's say, you would have to wait six months or more to get in?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
NET: Pharmaceutical	7%	7%	9%	5%	8%
-Prescribed pain medications	4%	4%	5%	3%	3%
-Over-the-counter pain medications	2%	2%	3%	2%	2%
-Cannabis (prescribed or not)	2%	2%	3%	1%	3%
NET: Medical treatments	36%	39%	45%	34%	30%
-Surgery	33%	37%	42%	32%	27%
-Other medical interventions	18%	19%	19%	18%	17%
-Medical devices	13%	14%	12%	16%	10%
NET: Other physical treatments	11%	13%	14%	12%	8%
-Exercise / Therapeutic movement / Yoga	1%	1%	2%	1%	1%
-Other lifestyle (diet/habits)	*%	1%	1%	*%	
-Physical Therapy / Physiotherapy	9%	10%	10%	10%	7%
-Manual Therapy	5%	6%	7%	5%	2%
-Other physical treatment(s)	1%	1%	2%	1%	*%
NET: Non-physical or psychological treatments	12%	13%	15%	10%	12%
-Counselling / Therapy (including ACT/CBT)	11%	11%	13%	9%	11%
-Support groups	3%	4%	5%	3%	1%
-Meditation	2%	2%	2%	2%	*%
-Hypnosis	2%	2%	3%	2%	

-Other psychological treatment(s) (biofeedback/virtual reality, etc)	5%	5%	5%	4%	4%
No, not aware of any wait times of six months or more	55%	51%	47%	56%	62%

QD10. To confirm, do you have a regular family doctor or GP?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Yes	91%	91%	92%	89%	93%
No, and don't feel a need for one	2%	1%	*%	2%	4%
No, looking/wish I had one	7%	8%	7%	10%	4%
NET: No	9%	9%	8%	11%	7%

QF1.3. [Top2box] Agreement with statements

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Every Canadian – regardless of income – should have access to pain treatment that works for them	95%	95%	95%	95%	95%
It's simply not right that some Canadians have to struggle to pay for medicine they need	95%	95%	95%	95%	94%
I don't know very much about a lot of the new types of pain treatments	72%	71%	67%	74%	75%
If pain treatments were widely available at no or low cost, a lot of people would be living in less pain	89%	89%	91%	87%	88%
People shouldn't have to wait for months and months for pain treatment	98%	98%	98%	98%	96%
The stigma surrounding chronic pain prevents people from seeking treatment	64%	71%	74%	69%	51%
If Canadians had better access to other kinds of pain treatment, it would reduce reliance on opioids	86%	87%	89%	84%	86%

If I could afford to pay for more of the available treatments, I would be living with less pain today	64%	70%	75%	67%	51%
---	-----	-----	-----	-----	-----

QF1.3. [Bottom2box] Agreement with statements

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Every Canadian – regardless of income – should have access to pain treatment that works for them	2%	3%	4%	3%	1%
It's simply not right that some Canadians have to struggle to pay for medicine they need	3%	3%	2%	4%	3%
I don't know very much about a lot of the new types of pain treatments	23%	23%	26%	21%	21%
If pain treatments were widely available at no or low cost, a lot of people would be living in less pain	6%	5%	7%	4%	7%
People shouldn't have to wait for months and months for pain treatment	2%	1%	1%	1%	3%
The stigma surrounding chronic pain prevents people from seeking treatment	25%	19%	19%	20%	36%
If Canadians had better access to other kinds of pain treatment, it would reduce reliance on opioids	7%	7%	6%	8%	6%

If I could afford to pay for more of the available treatments, I would be living with less pain today	24%	18%	16%	19%	36%
---	-----	-----	-----	-----	-----

QF1.3. Every Canadian - regardless of income - should have access to pain treatment that works for them

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Strongly agree	69%	70%	73%	68%	65%
Agree	26%	25%	22%	27%	30%
Disagree	2%	3%	3%	3%	1%
Strongly Disagree	*%	1%	1%	*%	*%
Not sure / Can't say	3%	2%	1%	2%	4%
Top2box	95%	95%	95%	95%	95%
Bottom2box	2%	3%	4%	3%	1%

QF1.3. It's simply not right that some Canadians have to struggle to pay for medicine they need

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Strongly agree	72%	73%	74%	72%	70%
Agree	23%	22%	21%	23%	24%
Disagree	3%	2%	2%	3%	3%
Strongly Disagree	*%	1%	1%	1%	*%
Not sure / Can't say	2%	2%	2%	2%	3%
Top2box	95%	95%	95%	95%	94%
Bottom2box	3%	3%	2%	4%	3%

QF1.3. I don't know very much about a lot of the new types of pain treatments

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Strongly agree	20%	21%	22%	20%	19%
Agree	52%	50%	45%	54%	56%
Disagree	18%	19%	21%	17%	16%
Strongly Disagree	4%	4%	5%	4%	5%
Not sure / Can't say	5%	6%	7%	5%	4%
Top2box	72%	71%	67%	74%	75%
Bottom2box	23%	23%	26%	21%	21%

QF1.3. If pain treatments were widely available at no or low cost, a lot of people would be living in less pain

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Strongly agree	53%	58%	65%	53%	42%
Agree	36%	31%	26%	34%	46%
Disagree	5%	4%	5%	3%	7%
Strongly Disagree	1%	1%	1%	1%	
Not sure / Can't say	6%	6%	3%	9%	5%
Top2box	89%	89%	91%	87%	88%
Bottom2box	6%	5%	7%	4%	7%

QF1.3. People shouldn't have to wait for months and months for pain treatment

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Strongly agree	74%	75%	78%	73%	71%
Agree	24%	23%	21%	26%	25%
Disagree	1%	*%	*%	1%	1%
Strongly Disagree	1%	*%	1%	*%	2%
Not sure / Can't say	1%	1%	1%	1%	1%
Top2box	98%	98%	98%	98%	96%
Bottom2box	2%	1%	1%	1%	3%

QF1.3. The stigma surrounding chronic pain prevents people from seeking treatment

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Strongly agree	28%	32%	38%	26%	21%
Agree	36%	39%	36%	42%	30%
Disagree	20%	15%	14%	15%	30%
Strongly Disagree	5%	4%	4%	4%	6%
Not sure / Can't say	11%	10%	8%	12%	13%
Top2box	64%	71%	74%	69%	51%
Bottom2box	25%	19%	19%	20%	36%

QF1.3. If Canadians had better access to other kinds of pain treatment, it would reduce reliance on opioids

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Strongly agree	51%	56%	57%	54%	43%
Agree	35%	31%	32%	30%	42%
Disagree	5%	6%	4%	7%	5%
Strongly Disagree	1%	1%	1%	1%	2%
Not sure / Can't say	7%	7%	5%	8%	8%
Top2box	86%	87%	89%	84%	86%
Bottom2box	7%	7%	6%	8%	6%

QF1.3. If I could afford to pay for more of the available treatments, I would be living with less pain today

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Strongly agree	36%	44%	48%	40%	21%
Agree	28%	26%	27%	26%	30%
Disagree	15%	13%	13%	14%	19%
Strongly Disagree	9%	4%	3%	5%	18%
Not sure / Can't say	12%	12%	9%	14%	13%
Top2box	64%	70%	75%	67%	51%
Bottom2box	24%	18%	16%	19%	36%

QF2.1 [Top2box] Level of concern

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
People over-using these drugs – that is, using more than the recommended dosage	81%	81%	76%	85%	81%
The risk of becoming addicted to one of these drugs	83%	84%	80%	87%	81%
Risk of overdose	75%	76%	70%	81%	72%

QF2.1 [Bottom2box] Level of concern

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
People over-using these drugs – that is, using more than the recommended dosage	14%	15%	19%	11%	14%
The risk of becoming addicted to one of these drugs	15%	14%	17%	11%	17%
Risk of overdose	23%	22%	28%	16%	26%

QF2.1. Concern- People over-using these drugs - that is, using more than the recommended dosage

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very concerned	43%	46%	40%	50%	39%
Somewhat concerned	38%	36%	36%	35%	42%
Not very concerned	11%	13%	16%	10%	7%
Not concerned at all	4%	2%	3%	1%	7%
Can't say / Don't know	5%	4%	4%	3%	6%
Top2box	81%	81%	76%	85%	81%
Bottom2box	14%	15%	19%	11%	14%

QF2.1. Concern- The risk of becoming addicted to one of these drugs

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very concerned	51%	54%	45%	62%	44%
Somewhat concerned	32%	30%	35%	25%	37%
Not very concerned	10%	11%	13%	9%	10%
Not concerned at all	5%	3%	4%	2%	7%
Can't say / Don't know	2%	3%	3%	2%	2%
Top2box	83%	84%	80%	87%	81%
Bottom2box	15%	14%	17%	11%	17%

QF2.1. Concern- Risk of overdose

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very concerned	41%	44%	37%	49%	36%
Somewhat concerned	34%	32%	32%	32%	36%
Not very concerned	17%	17%	20%	14%	16%
Not concerned at all	7%	5%	8%	2%	10%
Can't say / Don't know	2%	2%	2%	2%	2%
Top2box	75%	76%	70%	81%	72%
Bottom2box	23%	22%	28%	16%	26%

QF2.1b Does concern about these potential problems with prescription pain medication affect your own use of these medications for your pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Yes, don't use because of these concerns	17%	20%	21%	19%	13%
Yes, curtail my use because of concern	25%	30%	27%	34%	16%
No, would not use anyhow	19%	15%	10%	19%	26%
No, does not affect my usage	39%	35%	42%	28%	46%
Net: Yes	43%	50%	48%	52%	28%
Net: No	57%	50%	52%	48%	72%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Affect use of medications	707	543	241	302	164

QF2.1c. And how would you describe the impact of not using or limiting your use of prescription pain medications?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
It means a lot more pain / less activity for you	54%	53%	64%	45%	57%
You've found other ways to deal with the pain	46%	47%	36%	55%	43%

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Sample: Current in Pain	1662	1080	503	576	582

QF2.1d. Have you had any problems getting prescription medicines you needed because of your doctor's or the system's concerns about people becoming addicted to these drugs?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
No, no issues	73%	72%	63%	81%	73%
Some issues – needed to convince that drugs were needed	14%	11%	16%	7%	19%
Yes, MD insisted on lower dose	4%	4%	6%	2%	3%
Yes, MD would not renew prescription	3%	3%	4%	2%	4%
Yes, MD would not prescribe at all	8%	10%	13%	8%	4%
Yes, other (specify)	3%	4%	6%	2%	2%
Net: Some/Yes	27%	28%	37%	19%	27%

QG1. Overall, what kind of a job do you think the health care system in your province does when it comes to the problem of pain and how to help people living with it?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very good	7%	4%	3%	5%	11%
Good	30%	29%	28%	30%	32%
Poor	36%	37%	40%	35%	35%
Very poor	17%	21%	23%	19%	11%
Not sure / Can't say	10%	9%	5%	12%	13%
Top2box	36%	33%	32%	35%	42%
Bottom2box	54%	58%	63%	54%	45%

QG2a. Overall, how has the public health care system in this province treated your own issues with pain?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very good	8%	7%	7%	7%	10%
Good	46%	41%	39%	44%	55%
Poor	34%	37%	37%	38%	27%
Very poor	12%	14%	17%	12%	8%
Top2box	54%	48%	46%	51%	65%
Bottom2box	46%	52%	54%	49%	35%

QG2B. [Top2box] Rating of doctor

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Being up-to-date on the latest pain treatments	59%	55%	59%	51%	66%
Informing you about alternatives for treatment	54%	51%	56%	46%	61%
Open to new treatment ideas and options	58%	55%	60%	50%	64%
Interested in your pain	67%	64%	66%	62%	73%
Knowledgeable about chronic pain	64%	62%	67%	56%	69%
Sympathetic and caring about your pain	69%	67%	69%	65%	74%
The overall job they are doing/dealing with you and your pain	64%	61%	65%	57%	69%

QG2B. [Bottom2box] Rating of doctor

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Being up-to-date on the latest pain treatments	21%	24%	28%	21%	15%
Informing you about alternatives for treatment	30%	33%	32%	34%	23%
Open to new treatment ideas and options	23%	26%	27%	25%	16%
Interested in your pain	24%	27%	30%	25%	17%
Knowledgeable about chronic pain	22%	25%	23%	26%	16%
Sympathetic and caring about your pain	21%	24%	26%	23%	15%
The overall job they are doing/dealing with you and your pain	26%	29%	30%	28%	21%

QG2b. Rating of doctor- Being up-to-date on the latest pain treatments

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very good	24%	21%	23%	20%	28%
Good	35%	34%	36%	32%	38%
Poor	15%	17%	19%	16%	11%
Very poor	6%	7%	9%	5%	4%
NA -- do / did not discuss with MD	16%	16%	11%	21%	17%
NA -- Do not have a doctor	4%	5%	3%	6%	2%
Net: Very good/ good	59%	55%	59%	51%	66%
Net: Poor/ very poor	21%	24%	28%	21%	15%

QG2b. Rating of doctor- Informing you about alternatives for treatment

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very good	22%	17%	21%	14%	29%
Good	33%	33%	35%	32%	32%
Poor	21%	24%	21%	26%	16%
Very poor	8%	9%	11%	8%	7%
NA -- do / did not discuss with MD	12%	12%	9%	14%	13%
NA -- Do not have a doctor	4%	4%	3%	6%	3%
Net: Very good/ good	54%	51%	56%	46%	61%
Net: Poor/ very poor	30%	33%	32%	34%	23%

QG2b. Rating of doctor- Open to new treatment ideas and options

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very good	25%	23%	26%	20%	28%
Good	33%	32%	34%	30%	35%
Poor	17%	19%	18%	20%	12%
Very poor	6%	7%	9%	6%	3%
NA -- do / did not discuss with MD	16%	14%	10%	19%	18%
NA -- Do not have a doctor	4%	4%	3%	6%	3%
Net: Very good/ good	58%	55%	60%	50%	64%
Net: Poor/ very poor	23%	26%	27%	25%	16%

QG2b. Rating of doctor- Interested in your pain

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very good	29%	26%	31%	21%	35%
Good	38%	38%	34%	40%	39%
Poor	17%	21%	21%	22%	10%
Very poor	7%	6%	9%	4%	7%
NA -- do / did not discuss with MD	6%	5%	2%	8%	7%
NA -- Do not have a doctor	4%	4%	3%	5%	2%
Net: Very good/ good	67%	64%	66%	62%	73%
Net: Poor/ very poor	24%	27%	30%	25%	17%

QG2b. Rating of doctor- Knowledgeable about chronic pain

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very good	25%	21%	24%	19%	33%
Good	39%	40%	43%	38%	36%
Poor	18%	21%	17%	23%	13%
Very poor	4%	4%	6%	2%	3%
NA -- do / did not discuss with MD	10%	9%	6%	12%	12%
NA -- Do not have a doctor	4%	4%	3%	6%	2%
Net: Very good/ good	64%	62%	67%	56%	69%
Net: Poor/ very poor	22%	25%	23%	26%	16%

QG2b. Rating of doctor- Sympathetic and caring about your pain

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very good	32%	30%	34%	26%	38%
Good	37%	38%	35%	40%	36%
Poor	15%	17%	17%	16%	11%
Very poor	6%	7%	9%	6%	4%
NA -- do / did not discuss with MD	7%	5%	2%	7%	9%
NA -- Do not have a doctor	3%	4%	3%	4%	2%
Net: Very good/ good	69%	67%	69%	65%	74%
Net: Poor/ very poor	21%	24%	26%	23%	15%

QG2b. Rating of doctor- The overall job they are doing/ dealing with you and your pain

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Very good	28%	25%	28%	24%	32%
Good	36%	35%	37%	34%	37%
Poor	18%	19%	17%	22%	16%
Very poor	8%	9%	13%	7%	5%
NA -- do / did not discuss with MD	7%	6%	3%	9%	7%
NA -- Do not have a doctor	4%	4%	3%	5%	2%
Net: Very good/ good	64%	61%	65%	57%	69%
Net: Poor/ very poor	26%	29%	30%	28%	21%

QH1. [Top2box] Please consider each of the following proposals and indicate how worthwhile, or not, you think each would be.

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Providing more publicly funded pain clinics with a team of experts (specialists, pharmacists, psychologists, occupational and physical therapy etc) available at one central location	92%	92%	93%	92%	91%
Subsidizing people who can't afford pain treatments that work for them	94%	95%	94%	95%	92%
Educating the public to better understand chronic pain and the challenges for those living with it	88%	89%	87%	90%	87%
Providing more support for those living with pain such as support groups, education programs, patient advocacy organizations, etc.	84%	83%	81%	84%	85%
Providing more funding for expanded research into new pain treatment therapies	94%	93%	92%	94%	95%
Increasing coverage for pharmaceutical / medicinal pain treatments	89%	91%	90%	92%	84%
Increasing coverage for medical cannabis	71%	74%	71%	76%	67%

Covering the costs of more pain treatments as part of public health care	93%	92%	93%	92%	94%
--	-----	-----	-----	-----	-----

QH1. [Bottom2box] Please consider each of the following proposals and indicate how worthwhile, or not, you think each would be.

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Providing more publicly funded pain clinics with a team of experts (specialists, pharmacists, psychologists, occupational and physical therapy etc) available at one central location	8%	8%	7%	8%	9%
Subsidizing people who can't afford pain treatments that work for them	6%	5%	6%	5%	8%
Educating the public to better understand chronic pain and the challenges for those living with it	12%	11%	13%	10%	13%
Providing more support for those living with pain such as support groups, education programs, patient advocacy organizations etc	16%	17%	19%	16%	15%
Providing more funding for expanded research into new pain treatment therapies	6%	7%	8%	6%	5%
Increasing coverage for pharmaceutical / medicinal pain treatments	11%	9%	10%	8%	16%
Increasing coverage for medical cannabis	29%	26%	29%	24%	33%

Covering the costs of more pain treatments as part of public health care	7%	8%	7%	8%	6%
--	----	----	----	----	----

QH1. Worthwhile- Providing more publicly funded pain clinics with a team of experts

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Definitely worthwhile	56%	59%	61%	58%	50%
Probably	36%	33%	33%	34%	40%
Probably not	7%	6%	6%	6%	9%
Definitely not worthwhile	1%	2%	1%	2%	1%
Top2box	92%	92%	93%	92%	91%
Bottom2box	8%	8%	7%	8%	9%

QH1. Worthwhile- Subsidizing people who can't afford pain treatments that work for them

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Definitely worthwhile	56%	60%	63%	57%	48%
Probably	38%	35%	30%	38%	44%
Probably not	5%	4%	5%	3%	6%
Definitely not worthwhile	1%	1%	1%	1%	2%
Top2box	94%	95%	94%	95%	92%
Bottom2box	6%	5%	6%	5%	8%

QH1. Worthwhile- Educating the public to better understand chronic pain and the challenges for those living with it

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Definitely worthwhile	47%	48%	53%	43%	45%
Probably	41%	41%	34%	47%	42%
Probably not	10%	8%	9%	8%	12%
Definitely not worthwhile	2%	3%	4%	2%	*%
Top2box	88%	89%	87%	90%	87%
Bottom2box	12%	11%	13%	10%	13%

QH1. Worthwhile- Providing more support for those living with pain such as support groups, education programs, patient advocacy organizations etc

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Definitely worthwhile	39%	41%	41%	41%	35%
Probably	45%	42%	41%	43%	50%
Probably not	14%	13%	15%	12%	14%
Definitely not worthwhile	3%	4%	3%	4%	1%
Top2box	84%	83%	81%	84%	85%
Bottom2box	16%	17%	19%	16%	15%

QH1. Worthwhile- Providing more funding for expanded research into new pain treatment therapies

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Definitely worthwhile	55%	56%	55%	56%	53%
Probably	39%	37%	36%	38%	42%
Probably not	4%	5%	5%	4%	4%
Definitely not worthwhile	2%	2%	3%	1%	1%
Top2box	94%	93%	92%	94%	95%
Bottom2box	6%	7%	8%	6%	5%

QH1. Worthwhile- Increasing coverage for pharmaceutical / medicinal pain treatments

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Definitely worthwhile	54%	57%	59%	56%	47%
Probably	35%	34%	31%	36%	37%
Probably not	9%	8%	9%	7%	12%
Definitely not worthwhile	2%	1%	1%	2%	4%
Top2box	89%	91%	90%	92%	84%
Bottom2box	11%	9%	10%	8%	16%

QH1. Worthwhile- Increasing coverage for medical cannabis

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Definitely worthwhile	39%	44%	45%	43%	31%
Probably	32%	30%	26%	33%	36%
Probably not	20%	16%	18%	15%	25%
Definitely not worthwhile	9%	10%	11%	9%	8%
Top2box	71%	74%	71%	76%	67%
Bottom2box	29%	26%	29%	24%	33%

QH1. Worthwhile- Covering the costs of more pain treatments as part of public health care

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Definitely worthwhile	60%	61%	63%	59%	57%
Probably	34%	32%	30%	33%	37%
Probably not	6%	7%	7%	6%	5%
Definitely not worthwhile	1%	1%	*%	1%	1%
Top2box	93%	92%	93%	92%	94%
Bottom2box	7%	8%	7%	8%	6%

QH2. Please have a look at our list of pain treatments below and tell us which ones, if any, you think your province's public health system should cover the costs of.

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
NET: Pharmaceutical	85%	85%	87%	83%	85%
-Prescribed pain medications	79%	79%	81%	78%	79%
-Over-the-counter pain medications	23%	25%	27%	24%	20%
-Cannabis (prescribed or not)	42%	43%	48%	39%	38%
NET: Medical treatments	81%	79%	80%	79%	84%
-Surgery	75%	72%	71%	73%	81%
-Other medical interventions	60%	59%	61%	57%	62%
-Medical devices	63%	63%	61%	64%	65%
NET: Other physical treatments	79%	83%	82%	84%	73%
-Exercise / Therapeutic movement / Yoga	30%	32%	28%	36%	25%
-Other lifestyle (diet/habits)	21%	24%	21%	27%	14%
-Physical Therapy / Physiotherapy	68%	69%	68%	70%	66%
-Manual Therapy	63%	67%	67%	67%	56%
-Other physical treatment(s)	18%	21%	19%	23%	14%
NET: Non-physical or psychological treatments	60%	62%	59%	63%	59%
-Counselling / Therapy (including ACT/CBT)	52%	54%	51%	56%	50%
-Support groups	32%	35%	29%	39%	28%
-Meditation	16%	18%	17%	19%	13%
-Hypnosis	18%	22%	17%	25%	13%
-Other psychological treatment(s)	20%	22%	23%	22%	16%
None of these	3%	4%	2%	5%	3%

QH3. Would you say the public health care system in your province:

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Does too much already	2%	1%	1%	1%	3%
Gives the appropriate amount of attention	18%	16%	12%	20%	22%
Should be doing more	69%	74%	79%	69%	59%
Don't know / can't say	11%	9%	7%	10%	15%

Province

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
British Columbia	13%	12%	10%	14%	16%
Alberta	11%	11%	10%	12%	10%
Saskatchewan	3%	3%	4%	3%	2%
Manitoba	3%	3%	3%	4%	3%
Ontario	37%	36%	40%	33%	39%
Quebec	25%	25%	26%	24%	25%
New Brunswick	2%	3%	2%	4%	2%
Nova Scotia	4%	4%	5%	4%	3%
Prince Edward Island	*%	1%	1%	1%	*%
Newfoundland and Labrador	1%	1%	1%	*%	1%

Region

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
British Columbia	13%	12%	10%	14%	16%
Alberta	11%	11%	10%	12%	10%
Saskatchewan	3%	3%	4%	3%	2%
Manitoba	3%	3%	3%	4%	3%
Ontario	37%	36%	40%	33%	39%
Quebec	25%	25%	26%	24%	25%
Atlantic	8%	9%	8%	9%	6%

Gender

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Male	40%	37%	32%	42%	44%
Female	60%	62%	67%	58%	56%
Other	*%	1%	2%	*%	

Which of the following categories includes your age?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
18-24	4%	3%	4%	3%	6%
25-34	16%	14%	12%	16%	19%
35-44	11%	11%	10%	13%	11%
45-54	26%	27%	28%	26%	23%
55-64	21%	23%	25%	21%	18%
65+	22%	21%	21%	21%	23%
Net: 18-34	20%	17%	16%	19%	25%
Net: 35-54	37%	39%	38%	39%	34%
Net: 55+	43%	44%	46%	42%	41%

Gender-Age

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Male 18-34	6%	6%	5%	6%	6%
Male 35-54	16%	14%	13%	15%	19%
Male 55+	18%	17%	13%	21%	19%
Female 18-34	14%	11%	9%	12%	20%
Female 35-54	21%	24%	25%	24%	15%
Female 55+	25%	27%	33%	21%	22%
Other (Gender)	0%	1%	2%	0%	0%

QHHIncome. Which of the following categories best describes your total annual household income before taxes?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Under \$25,000	17%	18%	24%	12%	15%
\$25,000 to less than \$50,000	23%	25%	26%	24%	20%
\$50,000 to less than \$100,000	31%	30%	24%	35%	33%
\$100,000 to less than \$150,000	11%	11%	8%	14%	10%
\$150,000 to less than \$200,000	5%	3%	3%	3%	8%
Over \$200,000	2%	1%	2%	1%	2%
Don't know / Rather not say	11%	11%	13%	10%	11%
Net: <\$50K	40%	43%	50%	36%	36%
Net: \$50K-<\$100K	31%	30%	24%	35%	33%
Net: \$100K+	17%	16%	12%	19%	20%

What is the highest level of education that you yourself completed?

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Some elementary or high school	8%	9%	12%	7%	6%
High school graduate	37%	43%	41%	46%	26%
Some college/trade school	11%	10%	10%	9%	13%
Graduated from college/trade school	22%	21%	22%	20%	25%
Some university	6%	4%	4%	4%	10%
University undergraduate degree, such as a Bachelor's Degree	10%	10%	8%	11%	12%
University graduate degree, such as a Master's or PhD	5%	3%	4%	3%	8%
Net: <=HS	45%	52%	52%	53%	32%
Net: College/Trade school	33%	31%	32%	29%	38%
Net: Univ+	21%	17%	16%	18%	29%

Pain Type

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
Living with Pain	65%	100%	100%	100%	
-More Severe	30%	47%	100%		
-Moderate Severe	35%	53%		100%	
Less	35%				100%

Emotional Impact Score

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
3	3%	1%	*%	1%	6%
4	5%	1%	*%	2%	13%
5	12%	4%	2%	5%	28%
6	11%	8%	4%	10%	16%
7	12%	14%	6%	21%	9%
8	12%	14%	10%	17%	8%
9	13%	16%	16%	15%	7%
10	11%	13%	17%	9%	7%
11	8%	11%	15%	8%	2%
12	8%	11%	13%	10%	2%
13	3%	4%	8%	1%	*%
14	2%	2%	5%	1%	1%
15	2%	2%	4%	1%	*%

Functional Impact score

	Total	Pain Experience Index			
		Significant (Severely + Moderately Affected)	Severely Affected	Moderately Affected	Minimally Affected
4	1%	*%		*%	2%
5	1%	*%		*%	3%
6	4%	1%	*%	1%	9%
7	7%	2%	*%	4%	16%
8	13%	3%	1%	5%	32%
9	7%	9%	2%	16%	2%
10	9%	12%	3%	19%	5%
11	10%	12%	9%	15%	7%
12	9%	11%	11%	10%	6%
13	9%	12%	15%	10%	4%
14	8%	10%	13%	8%	3%
15	5%	7%	10%	6%	1%
16	9%	10%	14%	6%	6%
17	3%	5%	10%	*%	*%
18	1%	2%	3%	*%	1%
19	1%	2%	4%	*%	*%
20	1%	2%	4%	*%	